

### SCOTCH-BRITE™ TUB AND SINK SCRUB SPONGE — NO. 445

Durable nonwoven nylon laminated to a pure cellulose sponge.



Part Number	Sponges/Case
MM 3M 00002	12

#### O-CEL-O™ STAY FRESH HOME, CAR AND BOAT SPONGE

An excellent choice for big cleaning jobs on your boat. Excellent boat bailer.



Part	UPC	Size	Sponges/
Number	Number		Case
MM 3M 7220T	053200-07220	9" x 4-1/2" x 1-3/4"	12

### 3M™ C-31 LARGE COMMERCIAL SPONGE

An excellent quality sponge for multiple boat cleanup duties.



Part	UPC	Size	Sponges/
Number	Number		Case
MM 3M 7449T	053200-07449	6" x 4-1/4" x 1-5/8"	24

#### 3M™ SYNTHETIC STEEL WOOL PADS

A combination of synthetic fibers and abrasive particles that work like steel wool. Yet these durable pads are easier on hands, resist clogging, and can be rinsed and reused.



 $3M^{\text{TM}}$  Synthetic Steel Wool Pads won't rust, splinter or shred.

They outlast steel wool. 3M synthetic steel wool pads are compatible with both solvent-based and water-based stains and finishes.

Part Number	Grade	Pads/Pack	Packs/ Case
MM 3M 10115	#3 Coarse	6	18
MM 3M 10116	#2 Medium	6	18
MM 3M 10118	#2 Medium	6	18
MM 3M 10120	"000" Extra Fine	6	18

# SCOTCH-BRITE™ LENS CLEANING CLOTH

Ribbon-shaped fibers lift dirt and grease instead of rolling over it. Dirt and particles are trapped within knitted tufts of the fibers. Rows and rows of tufts and valleys trap large and small particles.



Part Number	UPC Number	Description	Each/ Case
MM 3M 9021	051111-11169	Lens Cloth with Countertop Merchandiser	20
MM 3M 9021CS	051111-11239	Clip Strip	2 Clips of 6

### **QUOTATION LINE**

info@mansuetomarine.it +39 0184 573346



#### SCOTCH-BRITE™ HIGH PERFORMANCE CLOTH

Provides ultra cleaning power because of its knitted, interwoven design of water- and oilabsorbing microfibers that lift and trap liquids,



grease, dust and dirt particles. Surfaces are left cleaner than with conventional wipes.

When used dry or damp, it's excellent for the removal of grease and silicone from injection molded parts, solvents, dust residue, abrasive residue, splatter from welding, compounds, polish residues, waxes and fingerprints.

Part Number	Color	Size	Cloths/ Case
MM 3M 23589	Blue	32cm x 36cm	50
MM 3M 23649	White	32cm x 36cm	50
MM 3M 23650	Green	32cm x 36cm	50
MM 3M 23651	Yellow	32cm x 36cm	50
MM 3M 23652	Red	32cm x 36cm	50

Part Number	Color	Size	Cloths/ Case	Packs/ Case
MM 3M 25972	Blue	32cm x 36cm	3	10
MM 3M 25942	Blue	32cm x 36cm	5	10
Retail Package				
MM 3M 67408	Blue	32cm x 36cm	1	12

### **3M MASKING TAPES**

	Scot Maskin	ch® g Tapes		otch® Pa iping Tap			ch® Weat sistant Tap	
	233+	2040	218	256	471	2090	225	4811
Application Guide	0	9	10		50	0		
Critical Masking						•		
Utility/General Purpose		•						
Paint Striping/Color Separation								
Holding/Building		•						
Conformability						•		
Indoors or less than 24 Hours Outdoors								
Outdoors more than 24 Hours but less than 5 Days								
Outdoors more than 24 Hours but less than 14 Days								
Outdoors 14 to 30 Days								
Tape on 30 Days to 1 Year								

#### **3M Masking Tape Width Conversion Chart**

Metric Width	Standard Width
3mm	1/8″
6mm	1/4"
12mm	1/2"
18mm	3/4"
21mm	7/8"

#### **3M Masking Tape Width Conversion Chart**

Metric Width	Standard Width
24mm	1"
36mm	1-1/2"
48mm	2"
72mm	3″
96mm	4"



### SCOTCH® PERFORMANCE MASKING TAPE 233+

3M's "Preferred" indoor or singleday outdoor critical masking tape. This highly conformable tape provides outstanding paint lines. It consistently performs under a variety of climactic conditions.



Preferred	Better	Good
		7

Part Number	Size	Rolls/Case
MM 3M 26330	6mm x 55m (1/4" applications)	96
MM 3M 26332	12mm x 55m (1/2" applications)	48
MM 3M 26334	18mm x 55m (3/4" applications)	48
MM 3M 26336	24mm x 55m (1" applications)	24
MM 3M 26338	36mm x 55m (1-1/2" applications)	16
MM 3M 26340	48mm x 55m (1" applications)	12
MM 3M 26341	72mm x 55m (3" applications)	8
MM 3M 26343	3mm x 55m (1/8" applications)	12
MM 3M 26344	6mm x 55m (1/4" applications)	12

# SCOTCH® SOLVENT RESISTANT MASKING TAPE — NO. 2040

This tape is ideal for solvent-based and lacquer coatings. Ideal for use in cool temperatures. High adhesion to most surfaces and high holding power.



Preferred	Better	Good

Part Number	Size	Rolls/Case
MM 3M 02991	18mm x 55m	48
MM 3M 02992	24mm x 55m	36
MM 3M 02993	36mm x 55m	24
MM 3M 04365	48mm x 55m	24
MM 3M 02994	72mm x 55m	12

# SCOTCH® PAINT MASKING TAPE — NO. 233

3M's "Better" indoor or singleday outdoor critical masking tape. Designed specifically for the professional painter, this tape is conformable, hugs curves and contours, goes on quick and easy, sticks at a



touch and stays put. Well suited for boats, trucks and aircraft. Not for extended outdoor use.

Preferred	Better	Good

Part	6:	D. II. / G
Number	Size	Rolls/Case
MM 3M 06330	1/4" x 60 yds.	144
MM 3M 06332	1/2" x 60 yds.	72
MM 3M 06334	3/4" x 60 yds.	48
MM 3M 06336	1" x 60 yds.	36
MM 3M 06338	1-1/2" x 60 yds.	24
MM 3M 06340	2" x 60 yds.	24
MM 3M 06341	3" x 60 yds.	12
MM 3M 06343	1/8" x 60 yds.	12
MM 3M 06344	1/4" x 60 yds.	12

# SCOTCH® MASKING TAPE FOR GENERAL PAINTING—NO. 2050

This tape can be removed cleanly for up to 3 days.

It features medium adhesion and is ideal for window, door and wall trim and for masking cabinets, carpet, and vinyl flooring. Good for interior and exterior use.



Preferred	Better	Good

Part Number	Size	Rolls/Case
MM 3M 05617	.70" x 2160"	48
MM 3M 05618	.94" x 2160"	36
MM 3M 05619	1.41 x 2160"	24
MM 3M 05620	1.88 x 2160"	24
MM 3M 05621	2.83" x 2160"	12



### **3M PAINT STRIPING TAPES**

# SCOTCH® FINE LINE TAPE — NO. 218

3M's "Preferred" indoor or single-day outdoor paint striping tape. This specially extruded matte finish green polypropylene tape provides thefinest colorline separation



available because of its thinness. Stretches easily for smooth curves, yet tears easily by hand. Excellent solvent and moisture resistance. Allows taping over freshly cured lacquer, enamel and urethane paint systems sooner with less chance of imprint damage. Not for extended outdoor use.

Preferred	Better	Good

Part				
Number	Size	Rolls/Case		
	Boxed			
MM 3M 06300	1/8" x 60 yds.	12		
MM 3M 06301	1/4" x 60 yds.	12		
MM 3M 06302	3/8" x 60 yds.	12		
MM 3M 06303	1/2 x 60 yds.	12		
MM 3M 06305	3/4" x 60 yds.	12		
MM 3M 06306	1/16" x 60 yds.	12		
MM 3M 06307	3/16" x 60 yds.	12		
MM 3M 06308	3/32" x 60 yds.	12		
Bulk				
MM 3M 16028	1/4" x 60 yds.	144		
MM 3M 04698	1/2" x 60 yds.	71		
MM 3M 04699	3/4" x 60 yds.	48		
MM 3M 04700	1" x 60 yds.	36		
MM 3M 04701	2" x 60 yds.	24		

rreferred	Dette		1004
Part Number	Color	Size	Rolls/ Case
MM 3M 05423	Green	3/4" x 60 yds.	48
MM 3M 04968	Green	1" x 60 yds.	36
MM 3M 17688	Green	2" x 60 yds.	24

Retter

Good

Preferred

# SCOTCH® PLASTIC TAPE — NO. 471, BLUE

3M's "Preferred" paint striping tape for extended outdoor use. A blue vinyl plastic tape that is highly conformable and is excellent for masking off areas for detailed boat and boot

Preferred



Good

stripe painting. Also excellent for masking over rivets or aluminum boats. Provides ultraviolet (UV) stability and adhesive transfer resistance up to 30 days from application.

Better

Part Number	Color	Size	Rolls/ Case	
	Boxe	ed .		
MM 3M 06404	Blue	1/8" x 36 yds.	12	
MM 3M 06405	Blue	1/4" x 36 yds.	12	
MM 3M 06408	Blue	1/2" x 36 yds.	12	
MM 3M 06409	Blue	3/4" x 36 yds.	12	
	Bulk			
MM 3M 61192	Blue	1/4" x 36 yds.	144	
MM 3M 03119	Blue	1/2" x 36 yds.	72	
MM 3M 03120	Blue	3/4" x 36 yds.	48	
MM 3M 03121	Blue	1" x 36 yds.	36	

# 3M SCOTCHMARK GREEN MASKING TAPE — NO. 256

3M's "Preferred" outdoor paint striping tape. A treated, flatback tape with good adhesive characteristics and a surface color-coating of light green. Has a smooth, sharp edge and doesn't lose its shape



when applied over a long, continuous horizontal surface such as masking for painting of a boats boot stripe. Provides ultraviolet (UV) stability and adhesive transfer resistance up to five days from application.



### **3M WEATHER RESISTANT TAPES**

# SCOTCH® BLUE PAINTERS TAPE FOR MULTI-SURFACES — NO. 2090

This medium adhesion conformable crepe-backed tape removes cleanly from the surface for up to 14 days.

Preferred



Good

The painter's tape is sunlight resistant and is recommended for interior and exterior use. 2090 is ideal for most painted surfaces such as: painted walls, trim and woodwork; glass and metal. Water-based and solvent based coatings can be applied. Not compatible with lacquer coatings or surfaces.

# SCOTCH® SILVER WEATHER RESISTANT MASKING TAPE — NO. 225

3M's "Preferred" critical masking tape for extended outdoor use. The silver colored coating on the backing of this crepe paper tape reflects ultraviolet (U.V.) light to provide weather resistance for up to

Preferred



Good

a month's time. Prevents slivering and adhesive transfer during unmasking.

Better

Part Number	Color	Size	Rolls/ Case
MM 3M 06817	Blue	3/4" x 60 yds.	48
MM 3M 06818	Blue	1" x 60 yds.	36
MM 3M 06819	Blue	1-1/2" x 60 yds.	24
MM 3M 06820	Blue	2" x 60 yds.	24

Better

Part Number	Color	Size	Rolls/ Case	
MM 3M 02828	Silver	3/4" x 60 yds.	48	
MM 3M 02829	Silver	1" x 60 yds.	36	
MM 3M 02830	Silver	1-1/2" x 60 yds.	24	
MM 3M 04597	Silver	2" x 60 yds.	24	

### SCOTCH® WHITE PRESERVATION TAPE — NO. 4811

A white, pressure-sensitive tape designed for use in sealing of plastic sheeting, tarps, and shrinkwrap for boat storage and over-the-road transportation. Applies well in cold weather and is resistant to hot and



cold temperatures. Is also resistant to common lubricants and strippable coatings. Removes cleanly and easily up to two years after application when properly applied.

# SCOTCH® BLACK PRESERVATION TAPE — NO. 481

A pigmented black plastic film tape that conforms readily to irregular surfaces and has excellentstain resistance. Resists hot and cold weathering over two years. Removes cleanly and quickly. Uses include holding



and sealing poly and other covering material to sides of boats during storage and shipment.

Part Number	Color	Size	Rolls/ Case
MM 3M 42425	White	1" x 36 yds.	36
MM 3M 62334	White	2" x 36 yds.	24
MM 3M 62335	White	3" x 36 yds.	12
MM 3M 42426	White	4" x 36 yds.	12

Part Number	Color	Size	Rolls/ Case
MM 3M 03174	Black	1" x 36 yds.	36
MM 3M 04319	Black	2" x 36 yds.	24
MM 3M 03175	Black	3" x 36 yds.	12



### SAFE RELEASE TAPES

### SCOTCH® SAFE-RELEASE™ MASKING TAPE — NO. 2070

A white-colored, flat-back paper masking tape utilizing a low-tack adhesive system that provides safe removal without damage to delicate surfaces. This tape should be used in place of higher tack masking



tapes if the risk of "lifting" or pulling up of an existing finish (paint or varnish) is possible. Can also be used as a paint striping masking tape, providing sharp paint lines.

# SCOTCH® SCOTCH-BLUE™ PAINTERS TAPE FOR DELICATE SURFACES — NO. 2080

This low to medium adhesion flat-back tape removes cleanly from the surface for up to 60 days. The painter's tape is



sunlight resistant and is recommended of interior and exterior use. 2080 is ideal for most smooth or delicate surfaces such as: most fresh paints (24-hours old), vinyl-coated wallpaper, primed wallboard, wood floors and faux painting. Waterbased, solvent based and stain coatings can be applied. Not compatible with lacquer coatings or surfaces.

Part Number	Color	Size	Rolls/ Case
MM 3M 02501	White	3/4" x 60 yds.	24
MM 3M 00445	White	1" x 60 yds.	24
MM 3M 02502	White	1-1/2" x 60 yds.	12
MM 3M 00444	White	2" x 60 yds.	12

Part Number	Size	Rolls/Case
MM 3M 80988	3/4" x 60 yds.	48
MM 3M 79748	1" x 60 yds.	36
MM 3M 79749	1-1/2" x 60 yds.	24
MM 3M 79750	2" x 60 yds.	24

### **GENERAL PURPOSE TAPES**

#### TARTAN™ PAPER TAPE — NO. 200

A utility purpose paper tape used for holding, bundling and sealing. Ideal for paint suit sleeve and shoe wrapping. Not to be used for paint masking.

Part Number	Size	Rolls/Case
MM 3M 53469	12mm X 55m	72
MM 3M 53464	18mm X 55m	72
MM 3M 53465	24mm X 55m	48
MM 3M 53470	36mm X 55m	36
MM 3M 53466	48mm X 55m	24
MM 3M 53467	72mm X 55m	12
MM 3M 53468	96mm X 55m	8

### 3M™ PAPER MASKING TAPE — NO. 2214

This is a general purpose tape for holding, bundling, sealing, non-critical masking and a vast number of other jobs where a pressure-sensitive tape is needed.

Part Number	Size	Rolls/Case
MM 3M 45587	12mm X 55m	64
MM 3M 26074	18mm X 55m	64
MM 3M 26075	24mm X 55m	64
MM 3M 26076	36mm X 55m	64
MM 3M 26077	48mm X 55m	48
MM 3M 26078	72mm X 55m	64
MM 3M 48119	96mm X 55m	64



#### 3M™ MASKING TAPE 2308

Natural colored crepe paper. masking bundling paint masking and a vast number of other jobs where a pressure-sensitive tape is needed.



A ganaral numasa	101101 3101 00340	
A general purpose		
g tape for holding,		
ng, sealing, general		

### **3M DUCT TAPES**

#### 3M™ PERFORMANCE PLUS DUCT **TAPE 8979**

A unique construction of high tensile cloth and aggressive adhesive. Designed for permanent and temporary applications both indoors and outdoors. Sunlight/UV Resistance allows for clean removal with little or no adhesive residue for up to 6 months.

Part Number	Size	Rolls/Case
MM 3M 53299	24mm X 55m	48
MM 3M 56468	48mm X 55m	24
MM 3M 56469	72mm X 55m	12
MM 3M 56470	96mm X 55m	12

#### 3M™ DUCT TAPE 3939

Part

Number

MM 3M 06545

MM 3M 06547

MM 3M 06548

A heavy duty silver cloth duct tape with strong backing, good adhesion, tears easily without curling, conformability and low tack edges. Ideal for hanging poly, holding, patching, bundling, sealing and temporary repair. Tensile strength 26 lbs./in.

Size

18mm X 55m

36mm X 55m

48mm X 55m

Rolls/Case

48

24

Part Number	Size	Rolls/Case
MM 3M 85561	24mm x 54.8m	36
MM 3M 06975	48mm x 54.8m	24
MM 3M 85562	72mm x 54.8m	12
MM 3M 85563	96mm x 54.8m	12

#### **SCOTCH® COLORED CLOTH TAPE** — NO. 220

Ideal for crafts, color matching and identifying.

Part Number	Tape Number	Color	Size	Rolls/ Case
MM 3M 86851	220RED-A	Red	1.88" x 20 yds.	12
MM 3M 86862	220BRN-A	Brown	1.88" x 20 yds.	12
MM 3M 86849	220BLU-A	Blue	1.88" x 20 yds.	12
MM 3M 86848	220BLK-A	Black	1.88" x 20 yds.	12
MM 3M 86850	220GRN-A	Green	1.88" x 20 yds.	12
MM 3M 86852	220WHT-A	White	1.88" x 20 yds.	12
MM 3M 86853	220YLW-A	Yellow	1.88" x 20 yds.	12



# SCOTCH® HEAVY DUTY ALL WEATHER DUCT TAPE

Heavy duty tape is longer lasting outdoors. UV and water resistant backing resists drying, cracking and peeling.

Part	Tape	Size	Rolls/
Number	Number		Case
MM 3M 92040	2245-A	1.88" x 45 yds.	12

#### **SCOTCH® TRANSPARENT DUCT TAPE**

Ideal for use where appearance matters, this tape ends the ugly repairs associated with traditional gray duct tapes.



Part Number	Tape Number	Size	Rolls/ Case
MM 3M 83260	2120-A	1.88" x 20 yds.	12

### SCOTCH® PROFESSIONAL HVAC DUCT TAPE

Ideal for industrial and HVAC applications. Meets UL 723.

Part Number	Tape Number	Size	Rolls/ Case
MM 3M 50253	132DC-BA	1.88" x 20 yds.	24
MM 3M 50254	132DC-BA	1.88" x 60 yds.	24

# TARTAN™ UTILITY DUCT TAPE — NO. 955

Utility grade duct tape for bundling, sealing, and holding.

Part Number	Tape Number	Size	Rolls/ Case
MM 3M 59094	955-K	1.88" x 55 yds.	240

### PROTECTIVE TAPES SHORT TERM

### 3M<sup>™</sup> MARINE HEAVY DUTY PROTECTION TAPE — NO. 346

Abrasion resistant. Its 17 mils thickness gives outstanding protection against scuffing and tearing. It offers protection to topside surfaces and cabin soles of boats under construction or repair/restoration. Its adhesive transfer resistance makes it ideal for use wherever protection from wear or damage is needed; as a temporary carpet for new boat display, to protect plastic portlites and windshields from scratches during installation, prevents damage to painted, varnished, gelcoated surfaces, wooden decks or fiberglass decks.

Part Number	Thickness	Roll Size	Rolls/ Case
MM 3M 05418	17 mils	12" x 60 yds.	4
MM 3M 05419	17 mils	18" x 60 yds.	1
MM 3M 05420	17 mils	24" x 60 yds.	1
MM 3M 05421	17 mils	36" x 60 yds.	1

#### 3M™ PROTECTIVE TAPE SCPM 44X

A 6-mil, medium-high tack protective tape with anti-slip properties. Applications include protecting aggregate and diamond patterned non-skid, gelcoat, paint, wood and counter top surfaces during boat or RV assembly and repair processes. For indoor use only.

Part Number	Roll Size	Rolls/Case
MM 3M 74779	12" x 100 yds.	1
MM 3M 74780	18" x 100 yds.	1
MM 3M 30379	24" x 100 yds.	1
MM 3M 30378	36" x 100 yds.	1
MM 3M 30377	48" x 100 yds.	1



### PROTECTIVE TAPES LONG TERM

# SCOTCH® PLASTIC CHAFING TAPE — NO. 471, WHITE

A white vinyl plastic tape that is highly conformable and withstands heavy abrasion. It is commonly used in marine as a chafing tape to protect dock, mooring and rigging



lines, turn buckles, shrouds and spreaders. Not recommended for use on vinyl \or other plastics containing migrating-type plasticizers.

Part Number	Color	Size	Rolls/ Case
MM 3M 03135	White	3/4" x 36 yds.	48
MM 3M 03136	White	1" x 36 yds.	36

### SCOTCHGARD™ PAINT PROTECTION FILM DOOR EDGE GUARD

6-mil, clear coated urethane film with PSA. Used to protect door edges from potential nicks and abrasion. Use on new or recently refinished vehicles.



Part Number	Thickness	Roll Size	Rolls/ Case
MM 3M 84901	6mm base (9mm with adhesive)	.4" x 10 yds.	12
MM 3M 84905	6mm base (9mm with adhesive)	.4" x 40 yds.	12

### SCOTCHGARD™ PAINT PROTECTION FILM

A yellowing-resistant, clear protection film for reducing stone chipping and bug damage on painted surfaces. Excellent for hoods, valances, rocker areas, etc. For new cars and for refinished vehicles. Non-returnable product.

Part Number	Film Thickness	Roll Size	Rolls/ Case
	Rolls		
MM 3M 84701	14 mils*	1" x 12.5 yds.	6
MM 3M 84706	14 mils*	6" x 20 yds.	4
MM 3M 84802	8 mils*	2" x 40 yds.	24
MM 3M 84804	8 mils*	4" x 40 yds.	12
MM 3M 84806	8 mils*	6" x 40 yds.	8
	Strips		
MM 3M 84904	8 mils*	4" x 84"	20
MM 3M 84906	8 mils*	6" x 84"	15
MM 3M 84911	8 mils*	12" x 84"	18

<sup>\*</sup> Total thickness including 2-mil adhesive.

### SCOTCHGARD™ PAINT PROTECTION FILM DOOR EDGE GUARD

3M Marine Rigging Tape helps prevents turnbuckles, cotter pins, rigging wire, stanchions, spreaders and chainplates from chafing sales, lines and sheets. The self-bonding tape is water and UV resistant.

Part Number	Size	Rolls/Case
MM 3M 55512	1" x 10 ft.	32

### **REQUEST OUR CATALOGUE**

info@mansuetomarine.it +39 0184 573346



# THINSULATE™ SOUND AND THERMAL INSULATION

#### THINSULATE™ MARINE INSULATION

Thinsulate<sup>™</sup> Marine Insulation is a non-woven mat that has excellent sound-absorbing properties useful in many marine interior applications. It is compressible, non-linting, lightweight, hydrophobic (does not absorb moisture) and it can be easily die-cut.

	Product	Covering	Roll Width	Roll Length	Roll Area	Part Number
MA4700 Series			30" (76cm)	270' (82m)	675 ft2 (63m2)	Discontinued
This line and 3 /4" 1" (10, 3 (mm))	MA4700	None	60" (1.52cm)	90′ (27m)	450 ft2 (42m2)	Discontinued
Thickness: 3/4"–1" (19–26mm)			60" (1.52cm)	270' (82m)	1350 ft2 (125m2)	Discontinued
Weight: 1.4 oz/ft2 (417g/m2)			30" (76cm)	375' (114m)	937 ft2 (87m2)	MM 3M 76768
For Cilian man 1/2" 1" (12, 20mm)	MA4710	Black	60" (1.52cm)	90′ (27m)	450 ft2 (42m2)	MM 3M 76769
For filling gaps: 1/2"–1" (13–26mm)			60" (1.52cm)	375' (114m)	1875 ft2 (174m2)	MM 3M 76631
R value 4 at 26mm thickness			30" (76cm)	375' (114m)	937 ft2 (87m2)	Discontinued
	MA4720	White	60" (1.52cm)	90′ (27m)	450 ft2 (42m2)	Discontinued
			60" (1.52cm)	375' (114m)	1875 ft2 (174m2)	Discontinued
			25" (63cm)	225' (69m)	469 ft2 (44m2)	Discontinued
	MA4720M	Motal Film	50" (1.27cm)	90′ (27m)	375 ft2 (35m2)	Discontinued
	IVIA472UIVI	M Metal Film	60" (1.52cm)	90' (27m)	450 ft2 (42m2)	MM 3M 91972
			50" (1.27cm)	225' (69m)	937 ft2 (87m2)	Discontinued
MA4700 Series			30" (76cm)	225' (69m)	562 ft2 (52m2)	MM 3M 76774
Thickness: 1-1/2"-2" (38-51mm)	MA6710 E	Black	60" (1.52cm)	90′ (27m)	450 ft2 (42m2)	MM 3M 76775
Trickness: 1-1/2 -2 (36-31mm)			60" (1.52cm)	225' (69m)	1125 ft2 (104m2)	MM 3M 76633
Weight: 2.0 oz/ft2 (617g/m2)			30" (76cm)	225' (69m)	562 ft2 (52m2)	Discontinued
For filling and 1// 2// (25, 51,000)	MA6720	White	60" (1.52cm)	90' (27m)	450 ft2 (42m2)	Discontinued
For filling gaps: 1"-2" (25-51mm)			60" (1.52cm)	225' (69m)	1125 ft2 (104m2)	MM 3M 76634
R value 6 at 44mm thickness			25" (63cm)	150' (46m)	312 ft2 (29m2)	Discontinued
	144672014	MA6720M Metal Film	50" (1.27cm)	90′ (27m)	375 ft2 (35m2)	Discontinued
	IVIA0/ZUIVI		60" (1.52cm)	90′ (27m)	450 ft2 (42m2)	MM 3M 91971
			50" (1.27cm)	150' (46m)	625 ft2 (58m2)	Discontinued

NON STOP ADVANTAGES OUR SERVICE IS GUARANTEED
ALSO IN AUGUST AND
IN CHRISTMAS TIME



### **MARKING TAPES**

# 3M™ HAZARD MARKING VINYL TAPE 766

A general purpose hazard marking vinyl tape for use in non-critical applications. Can be used to mark equipment pinch points, and temporary floor marking around equipment or spills.

Part			Rolls/
Number	Color	Size	Case
MM 3M 43181	Black/Yellow	2" x 36 yds.	24

### 3M™ HAZARD MARKING VINYL TAPE 767

Red and white stripe, 5-mil (0.125-mil) vinyl backing with rubber adhesive. Stripes promote employee safety by marking pinch points or gears on equipment. Provides temporary floor marking around equipment or spills. Mark risers on stairways or low-clearance areas.

Part Number	Color	Size	Rolls/ Case
Number	Coloi	Size	Case
MM 3M 43186	Red/White	2" x 36 yds.	24

### SCOTCH® 300 SERIES BARRICADE TAPES

Effective and economical with 300 and 1000 feet of tape per roll. One roll has sufficient length to designate a large area. It is constructed of durable polyethylene plastic and measures 3- or 4-mil thick,



which prevents accidental tearing. Bold, two-inch, black characters on a bright yellow or red background are sure to attract attention and ensure that a warning message is clearly visible. The Scotch® 300 Series Barricade Tapes are non-adhesive, non-lead, polyethylene tapes. The tapes are a fast, effective way to restrict entry into hazardous areas. "Caution" is printed repeatedly in bold, black characters on a bright yellow or red background. The roll dimensions are 3" x 1000' or 3" x 300' with a nominal 3- or 4-mil thickness. Each roll is individually shrink-wrapped.

Part Number	Size	Rolls/Case
MM 3M 53042	3" x 1000'	8
MM 3M 53460	3" x 300'	16

#### TARTAN™ COLOR CLOTH TAPE





An economical 9-mil thick tape constructed of polyethylene film bonded to a strong polycotton blend cloth. This tape is conformable and also provides good weather and moisture resistance. Available in assorted colors for mending vinyl seat cushions, canvas boat covers, plastic tarps, etc.

Part Number	Size	Color	Rolls/ Case
MM 3M 58709	48mm x 45.8m	Black	12
MM 3M 58727	48mm x 45.8m	Brown	12
MM 3M 58728	48mm x 45.8m	Red	12
MM 3M 58729	48mm x 45.8m	White	12



### SCOTCH® COLORED PLASTIC TAPE



Super thin, stretchy, waterproof vinyl plastic tape in two sizes. Each roll is cellophane wrapped. Mends, decorates, identifies. Great for colorcoding and identifying rigging lines on sailboats. Available in red, green, brown, white, yellow, blue, black and clear.

Part Number	Color	Rolls/Pack	Packs/ Case	
	Catalog No. 190	)-3/4" x 125"		
MM 3M 00006	Clear	6	72	
MM 3M 00007	Red	6	72	
MM 3M 00008	Blue	6	72	
MM 3M 00009	White	6	72	
MM 3M 00010	Brown	6	72	
MM 3M 00011	Yellow	6	72	
MM 3M 00012	Green	6	72	
MM 3M 00013	Black	6	72	
	Catalog No. 191 – 1-1/2" x 125"			
MM 3M 00014	Clear	6	72	
MM 3M 00015	Red	6	72	
MM 3M 00016	Blue	6	72	
MM 3M 00017	White	6	72	
MM 3M 00018	Brown	6	72	
MM 3M 00019	Yellow	6	72	
MM 3M 00020	Green	6	72	
MM 3M 00021	Black	6	72	

# FILAMENT STRAPPING TAPE AND DISPENSERS

#### SCOTCH® FILAMENT TAPE — NO. 898

Excellentforbundling elongated metal and wood parts and for sealing and reinforcing cartons containing heavy items for shipment. This strong, high performance tape adheres instantly. Tensile strength is 380 lbs./inch.



#### Part Number Rolls/Case Size Boxed MM 3M 06893 12mm x 55m 12 MM 3M 06894 18mm x 55m 12 MM 3M 06895 24mm x 55m 12 MM 3M 06896 12mm x 55m 72 MM 3M 06897 18mm x 55m 48 MM 3M 06898 24mm x 55m 36

#### SCOTCH® FILAMENT TAPE — NO. 893

An economical transparent filament tape for general and miscellaneous packaging. Tensile strength is 300 lbs./ inch.



Part Number	Size	Rolls/Case
	Bulk	
MM 3M 06937	12mm x 55m	72
MM 3M 06938	18mm x 55m	48
MM 3M 06939	24mm x 55m	36



#### SCOTCH® FILAMENT TAPE — NO. 897

A commercial grade filament tape for use when a mediumduty reinforced tape is required.



Part Number	Size	Rolls/Case
MM 3M 86523	12mm x 55m	72
MM 3M 86524	18mm x 55m	48
MM 3M 86525	24mm x 55m	36

#### TARTAN™ FILAMENT TAPE — NO. 8934

General purpose strapping tape designed for light-duty strapping applications such as reinforcing boxes and bundling light items.



Part Number	Size	Rolls/Case
MM 3M 86518	12mm x 55m	72
MM 3M 86519	18mm x 55m	48
MM 3M 86520	24mm x 55m	36

# SCOTCH® H-10 FILAMENT TAPE HAND DISPENSER

Accommodates all listed widths of filament tapes shown. NOTE: PRODUCT IS NOT INCLUDED WITH THE DISPENSER.



Part Number	Dispensers/ Case
MM 3M 06910	6

# SCOTCH® H-12 FILAMENT TAPE HAND DISPENSER

Features a hand brake in the core that allows

operator to adjust tension for tighter box reinforcement and bundling applications. Made from high-impact, durable plastic. Handles filament tapes up to 1" wide. NOTE: PRODUCT IS NOT INCLUDED WITH THE DISPENSER.



Part		Dispensers/
Number	For Use With	Case
MM 3M 06953	Up to 1" Width Roll	6

# BIG QUANTITIES SMALL PRICES

info@mansuetomarine.it



### **BOX SEALING TAPES AND DISPENSERS**

#### 3M<sup>™</sup> SCOTCHPRO<sup>™</sup> BOX SEALING TAPE — NO. 3750

A strong film tape that is excellent for box sealing, recouperage, fiber drum sealing and other heavy duty packaging applications. Available in transparent and tan colors.



Part Number	Color	Size	Rolls/ Case
MM 3M 06639	Transparent	36mm x 50m	36
MM 3M 06640	Transparent	48mm x 50m	36
MM 3M 06642	Tan	48mm x 50m	36

### HIGHLAND™ COMMERCIAL GRADE BOX SEALING TAPE — NO. 3710

A strong film tape that conforms to box surfaces for a consistent uniform seal with no water or sticky cleanup. Resists center seam splitting and seals out moisture, dust and dirt. Ideal for most packaging needs.



Part Number	Color	Size	Rolls/ Case
MM 3M 14765	Tan	48mm x 50m	36
MM 3M 14766	Clear	48mm x 50m	36
MM 3M 18813	Clear	48mm v 100m	36

### SCOTCH® LABELGARD™ TAPE — NO. 8210

Designed for the attachment and protection of address labels on a wide variety of shipping and mailing containers.



Part Number	Size	Rolls/Case
MM 3M 06888	4" x 72 yds.	8

# SCOTCH® PACKING LIST TAPE — NO. 8240

A unique tape which is used to attach and protect packing lists, shipping papers and other documents to a wide range of shipping containers. Quick, inexpensive, easy! Use with 3M™ M-727 Labelgard™ Tape Dispenser (PN06944).



Part			Rolls/
Number	Pouches/Roll	Size	Case
MM 3M 06947	500	5" x 6"	8

#### 3M<sup>™</sup> SCOTCHPAD<sup>™</sup> 8240-P PACKING LIST TAPE

A unique tape which is available in convenient pad form. It offers a convenient system for attaching packing lists, shipping papers and other documents to a wide array



of shipping containers. There is no dispenser necessary.

Part Number	Sheets/Pad	Pads/Carton	Cartons/ Case
MM 3M 06954	25	40	5



#### SCOTCH® PACKING LIST TAPE — NO. 825

This tape has a tough, scuffresistant backing and aggressive packaging adhesive to securely attach packing lists and other mailing documents to most shipping container surfaces.



It has a bright orange "Document Enclosed" border that makes packing lists easy to locate and remove without tearing documents.

Part Number	Pouches/Roll	Size	Rolls/ Case
MM 3M 17063	250	5" x 6"	16

# SCOTCH® 3750-RD BOX SEALING TAPE WITH REUSABLE DISPENSER

Thesame3M™Scotchpro™ High Performance Box Sealing Tape but mounted in its own red reusable dispenser. This reusable dispenser makes it



extremely convenient to use in a variety of locations without making an investment in extra dispensers.

Part Number	Color	Size	Rolls/ Case
MM 3M 39523	Clear	48mm x 50m	24
39524	Tan	48mm x 50m	24

#### 3M™ H-122 BOX SEALING DISPENSER



A lightweight and durable hand dispenser for box sealing tapes. NOTE: PRODUCT IS NOT INCLUDED WITH THE DISPENSER.

Part		Dispensers/	
Number For Use With		Case	
MM 3M 06925	Up to 2" Width Roll	6	

### TARTAN™ HB-903 PISTOL GRIP SEALING TAPE DISPENSER

Easy-to-use, one-handed box sealing tape dispenser has an adjustable braking mechanism which applies tension to the tape. Refillable.NOTE:PRODUCT IS NOT INCLUDED WITH THE DISPENSER.



Part Number	For Use With	Dispensers/ Case	
MM 3M 06997	Up to 2" Width Roll	24	

#### 3M™ M-707 LABELGARD™ DISPENSER

For address label applications. Applies and protects labels in one operation. NOTE: PRODUCT IS NOT INCLUDED WITH THE DISPENSER.



Part Number	For Use With	Dispensers/ Case
MM 3M 06923	Up to 4" Width Roll	6

### 3M™ M-727 LABELGARD™ TAPE DISPENSER

Unique streamline construction allows for wall or bench mounting. NOTE: PRODUCT IS NOT INCLUDED WITH THE DISPENSER.



Part Number	For Use With	Dispensers/ Case
MM 3M 06944	Up to 4" Width Roll	6



### ADHESIVE TRANSFER TAPES

### SCOTCH® ATG ADHESIVE TRANSFER TAPE



Use this tape to hold, attach, bond, laminate, tab, join, fasten, mount, splice or seal nearly any surface – paper, foils, films, fabrics, glass, foams, plastics, metal, painted surfaces and wood. Tape is thin and tacky on both sides; one side adheres to applied surface, the other side is immediately ready to join a second surface. Provides instant tack and strong constant bond.

Part Number	Product Number	Thickness	Size	Rolls/ Case
MM 3M 04850	950	5 mils	1" x 60 yds.	50
MM 3M 06491	924	2 mils	5 1/2" x 36 yds.	50
MM 3M 06492	924	2 mils	3/4" x 36 yds.	50
MM 3M 06493	969	5 mils	1/2" x 18 yds.	50

# SCOTCH® ADHESIVE TRANSFER TAPE — NO. 465



Acrylic adhesive on a silicone-coated paper liner. Adhesive transfers from the liner easily to most smooth surfaces. Initial adhesion is very high. Used for miscellaneous holding, laminating, mounting and bonding applications.

Part Number	Size	Rolls/Case
MM 3M 03337	1" x 60 yds.	36

# NO MINIMUM ORDER REQUESTED

Immediate delivery even for a single product

+39 0184 573346

#### **SCOTCH® ATG DISPENSER**

This dispenser is designed for use with our Scotch® ATG Tapes for easy dispensing. NOTE: PRODUCT IS NOT INCLUDED WITH THE DISPENSER.



Part Number	Each/Case
MM 3M 06927	6



### PIPE THREAD SEALANT TAPE

### SCOTCH® PIPE THREAD SEALANT TAPE — NO. 48

Thistaperollsondryandmolds into pipe threads to form a leak-proof seal. Unaffected by oils, transmission fluids or freon and never dries out. Permanently lubricated joints never stick.



Part Number	Size	Rolls/Case
MM 3M 06192	1/4" x 260"	12
MM 3M 06195	1/2" x 260"	12
MM 3M 06196	1/2" x 520"	12

### FOAM AND PAPER TAPES

# 3M<sup>™</sup> DOUBLE-COATED URETHANE FOAM TAPES

These urethane foam tapes are soft, conformable and offer excellent shear adhesion which makes them ideal for a wide range of general purpose mounting and joining applications. The acrylic adhesive forms long-aging



bonds to many surfaces. Application ideas include mounting of mirrors, interior signs and wire/cable clips. The individually boxed short rolls are ideal for maintenance, repair and operation needs.

Part Number	Product Number	Thickness	Roll Size	Rolls/ Case
		Bulk		
MM 3M 06439	4008	1/8"	1" x 4 yds.	5
MM 3M 06452	4008	1/8"	1" x 36 yds	9
MM 3M 06455	4016	1/16"	1" x 36 yds	9
MM 3M 06440	4026	1/16"	1" x 6 yds.	5
MM 3M 06458	4032	1/32"	1" x 36 yds.	9

#### 3M™ ADHESION PROMOTER

A liquid primer packaged in convenient, single-use applicator packets. Can be applied on common low-surface energy plastics used for dash and interior trim applications. One packet covers approximately 150 square inches of substrate at the recommended coating thickness.



Part			Rolls/
Number	Size	Each/Box	Case
MM 3M 06396	2.5cc	25	4



#### 3M™ URETHANE FOAM TAPES



An open cell low density charcoal gray polyester urethane with a pressure-sensitive acrylic adhesive on one side. This adhesive has excellent long-term aging, and ultimate high bond strength to a variety of surfaces as well as high temperature performance. Applications include gasketing and sealing for dust and light and damping and cushioning for sound and vibration.

Part Number	Product Number	Size	Rolls/ Case
MM 3M 06443	4314	1" x 1/4" x 18 yds.	9
MM 3M 06446	4317	1" x 3/8" x 9 yds.	9

# 3M™ DOUBLE-COATED URETHANE FOAM TAPES

A black, conformable, urethane foam with a long-aging, high-shear adhesive on both sides. These tapes offer high internal strength with a wide temperature range (-40°F to 225°F). For general



purpose mounting and joining or applications where cold temperature performance is required. Applies to most clean, dry unified surfaces; rough surfaces, too.

Part Number	Product Number	Size	Rolls/ Case
MM 3M 14557	4052	1" x 1/32" x 72 yds.	9
MM 3M 14558	4056	1" x 1/16" x 36 yds.	9

# SCOTCH® DOUBLE-COATED 1/4" URETHANE FOAM TAPE — NO. 4004

A high density, urethane foam, with a long-aging acrylic adhesive on both sides. Treated green plaid paper liner. For a multitude of mounting and holding jobs. Applies to most clean, dry, unified surfaces, rough



surfaces, too. Functions for extended periods at 225°F under conditions of proper loading. Provides thermal insulation; reduces vibration transmission.

Part Number	Size	Rolls/Case
MM 3M 03394	1" x 1/4" x 18 yds.	9

# 3M<sup>™</sup> DOUBLE-COATED VINYL FOAM TAPE — NO. 4408

A black vinyl foam with long-aging adhesive on both sides. Treated green plaid paper liner. For a multitude of mounting and holding jobs while providing one-piece



removal in most instances. Applies to most clean, dry, unified surfaces; rough surfaces, too. Functions for extended periods at 120°F. Provides thermal insulation. Reduces vibration transmission.

Part Number	Size	Rolls/Case
MM 3M 03291	1" x 36 yds.	9



#### 3M™ VINYL FOAM TAPE



A black vinyl foam with a long-aging adhesive on one side. Used for a variety of sealing, gasketing and vibration damping applications. For clean, dry, unified and rough surfaces too.

Excellent for use in hatch cover weatherstripping.

Part Number	Product Number	Thickness	Size	Rolls/ Case
		Bulk		
MM 3M 03314	4508	1/8"	1" x 36 yds.	9
MM 3M 03318	4504	1/4"	1/2" x 18 yds.	18
MM 3M 03319	4504	1/4"	3/4" x 18 yds.	12
MM 3M 03320	4504	1/4"	1" x 18 yds.	9

# 3M<sup>™</sup> VHB<sup>™</sup> ACRYLIC FOAM TAPES — NO. 4930, 4950

White closed cell acrylic foams with high-strength, long-aging acrylic adhesive on both sides. They have excellent immediate tack and feature the highest peel strengths available in a pressure-sensitive system. Available in 25 mils and 45 mils



with treated paper liner. Primary applications are industrial assembly as an alternative to mechanical fasteners and liquid adhesives. The totally unique acrylic foam adds a new dimension to conformability without increasing the thickness.

Part Number	Product Number	Size	Thickness	Rolls/ Case
MM 3M 18088	4930	1" x 72 yds.	25 mils	9
MM 3M 18092	4950	1" x 36 yds.	45 mils	9

# 3M MARINE "PREFERRED" MASKING FILM AND PAPERS

	Mask Film	ScotchBlok Paper	Steel Gray Paper	White Paper	Utility Green Paper	Overspray Sheeting
Application Guide		12	14	1	I	
Critical Masking (Spraying)	•					
General Purpose Masking (Brushing or Rolling)	•					
Utility Masking (Brushing or Rolling)				_		
Indoor Masking						
Outdoor Masking		•				
Conformable						
Durable	•	•				•
Attracts and Holds Material	•	•				•
Overspray Protection	•	•	•	•	-	•



### **3M MASKING PAPER**

# 3M™ SCOTCHBLOK™ MASKING PAPER

3M's "Preferred" critical masking paper. 3M<sup>™</sup> ScotchBlok<sup>™</sup> Masking Paper is a tightly-bonded,



specially-coated masking paper specifically manufactured for the marine aftermarket. This superior masking paper offers the ultimate penetration resistance from all solvents used in today's gelcoat and paint systems. 3M ScotchBlok masking paper's bonded fiber formation reduces contamination of freshly painted and varnished surfaces and provides excellent conformability and holds up well under wet sanding conditions. Distinctive gold color for easy identification.

Preferred	Better	Good
		1

Part Number	Color	Size	Rolls/ Case
MM 3M 06706	Gold	6" x 750'	6
MM 3M 06712	Gold	12" x 750'	3
MM 3M 06718	Gold	18" x 750'	2
MM 3M 06736	Gold	36" x 750'	1
MM 3M 06732	Gold	12" x 180'	12
MM 3M 06738	Gold	18" x 180'	12

# 3M™ UTILITY GRADE MASKING PAPER (GREEN)

This masking paper is designed for non-critical masking applications or when paint is applied by brush or roller. This paper is not generally



recommended for spray ainting applications.

Part Number	Color	Size	Rolls/ Case
MM 3M 77401	Green	3" x 60 yds.	12
MM 3M 77402	Green	6" x 60 yds.	12
MM 3M 77403	Green	9" x 60 yds.	12
MM 3M 77399	Green	12" x 60 yds.	12
MM 3M 77400	Green	15" x 60 yds.	12
MM 3M 06904	Green	18" x 60 yds.	12

# SCOTCH® STEEL GRAY MASKING PAPER

3M's "Better" critical masking paper. A steel gray-colored specially processed high-density paper with excellent penetration resistance designed for exacting requirements of paint masking.



Preferred Better Good

Part Number	Color	Size	Rolls/ Case
MM 3M 06503	Steel Gray	3" x 1000'	6
MM 3M 06506	Steel Gray	6" x 1000'	6
MM 3M 06509	Steel Gray	9" x 1000'	4
MM 3M 06512	Steel Gray	12" x 1000'	3
MM 3M 06518	Steel Gray	18" x 1000'	3
MM 3M 06524	Steel Gray	24" x 1000'	2
MM 3M 06536	Steel Gray	36" x 1000'	1

#### 3M™ WHITE MASKING PAPER

3M's "Good" critical masking paper.3M™WhiteMaskingPaper is specifically manufactured for the marine aftermarket. It offers good protection against bleed-thru from gelcoat and urethane, enamel and lacquer paint systems. The tightly bonded



paper protects against fiber contamination and conforms easily to irregular surfaces.

Preferred	Better	Good
-----------	--------	------

Part Number	Color	Size	Rolls/ Case
MM 3M 06508	White	12" x 180'	12
MM 3M 06537	White	6" x 750'	6
MM 3M 06538	White	12" x 750'	3
MM 3M 06539	White	18" x 750'	2
MM 3M 06540	White	36" x 750'	1



### **3M MASKING FILM**

3M Masking Films are high-density, non-porous plastic films specially designed for paint masking and paint overspray protection. These films are for indoor or very limited outdoor use only. At earliest opportunity, remove plastic films from gelcoat or painted surfaces to eliminate moisture from getting trapped between plastic and substrate. Trapped moisture may inhibit curing and plastic film may "imprint" on surface.

# 3M™ HANDMASKER™ PRE-FOLDED MASKING FILM ROLLS

3M's "Preferred" critical indoor masking film.

These rolls are pre-folded and will fold down to various widths. Plastic films are not for extended outdoor use. The 9" x 100' roll folds down to 72" width and 12" x 100' roll folds down to 99" width to offer paint overspray protection for larger surface areas on deck or hull.



Preferred	Better	Good

Part Number	Description	Size	Rolls/ Case
MM 3M 06848	MF-48	48" x 180'	6

Part Number	Description	Rolls/Case
MM 3M 06802	12" Masking Film Cut-Off Blade	6

Part Number	Description	Size	Rolls/ Case
MM 3M 06845	MF-48	24" x 180'	12
MM 3M 77406	MF-72	72" x 90'	12
MM 3M 77407	MF-99	99" x 90'	12

### 3M™ HANDMASKER™ PRE-LOADED DISPENSERS

A convenient specially treated pre-taped plastic film that unfolds and clings to surfaces to protect from paint, splatter, and overspray. The painter's tape removes cleanly for up to 14 days.

# 3M™ HANDMASKER PRE-TAPED FILM WITH SCOTCH-BLUE™ PAINTER'S TAPE FOR MULTI-SURFACES — NO. 2090

A convenient specially treated pre-taped plastic film that unfolds and clings to surfaces to protect from paint, splatter, and overspray. The painter's tape removes cleanly for up to 14 days.



Part Number	Size	Rolls/Case
MM 3M 06696	24" X 30 yds.	12
MM 3M 06697	35" X 25 yds.	12

### 3M™ OVERSPRAY PROTECTIVE SHEETING MASKER

A portable masker designed to dispense 3M<sup>TM</sup> Overspray Protective Sheeting (PNs 06727 and 06728). It can be used horizontally, vertically or wall mounted. The spring-loaded end frame is designed for easy loading of Overspray Protective Sheeting. NOTE: PROTECTIVE SHEETING IS NOT INCLUDED WITH THE MASKER.

Part Number	Maskers/Case
MM 3M 06780	1

Part Number	Size	Rolls/Case
MM 3M 07997	24" X 30 yds. with Dispenser	12



### 3M™ HANDMASKER™ M3000FTK FILM TAPE KIT

Kit includes M3000 dispenser with multi-purpose hook, 1 roll of Scotch-Blue™ Painter's Tape for Multi-Surfaces 2090, 1 roll of MF48 48" x 180' pre-folded film and 1 FB12 12" film blade.



Part Number	Kits Per Case
MM 3M 79284	12

#### 3M™ HANDMASKER™ M2000FTK FILM TAPE KIT

Kit includes M2000 dispenser with multi-purpose hook, 1 roll of Scotch-Blue™ Painter's Tape 2090, 1 roll MF24 24" x 180' prefolded masking film and 1 FB6 6" film blade.



Part Number	Kits Per Case
MM 3M 79283	4

# 3M™ HAND-MASKER™ PRE-TAPED DROP CLOTH

When it comes to protecting surfaces from paint drips, splatter and overspray, 3M™ Hand-Masker<sup>™</sup> Pre-taped Drop Cloths have it covered. No matter how large or small the area to cover, there's a pre-taped drop cloth ideal for the job. Benefits: pre-taped to make masking an easy, one-step job; Each unfolds to protect and cover both large and small areas; Two kinds of tape for different masking conditions; Scotch® Painters' Masking Tape No. 2090 is sunlight and UV-resistant for clean removal for up to 14 days - even on glass exposed to direct sunlight; Made of film for easier clean-up than conventional drop cloths. Product Number indicates which tape is included, and those with "D" indicates the roll comes with a dispenser. Plastic films are not for extended outdoor use.

Part Number	Product Number	Roll Size	Rolls/ Case
MM 3M 80058	PTD2090-48	48" X 30 yds.	6
MM 3M 80055	PT2090-48	48" X 30 yds.	8
MM 3M 80053	PTD2020-72	72" X 25 yds.	6
MM 3M 80052	PT2020-72	72" X 25 yds.	8
MM 3M 80056	PTD2020-99	99" X 50'	6
MM 3M 80054	PT2020-99	99" X 50'	8

### 3M™ OVERSPRAY PROTECTIVE SHEETING



A convenient specially treated pre-taped plastic film that unfolds and clings to surfaces to protect from paint, splatter, and overspray. The painter's tape removes cleanly for up to 14 days.

Part Number	Size	Rolls/Case
MM 3M 06727	12' x 400' Clear (Folds down to 3')	1
MM 3M 06728	16' x 400'	1

### online OVER 5000 ARTICLES www.mansuetomarine.it



### **MASKERS**

#### 3M™ HAND-MASKER™ M3000 KIT

This kit consists of the 3M<sup>™</sup> Hand-Masker<sup>™</sup> M3000 Dispenserwithmulti-purpose hook, a 12″ masking film cut-off blade and the 3M<sup>™</sup> Hand-Masker<sup>™</sup> Tack-Down Tape Dispenser. NOTE:



MASKING PAPER NOT INCLUDED WITH KIT.

Part Number	Kits/Case
MM 3M 06788	4

# 3M™ HAND-MASKER™ DISPENSER M3000

Applies masking tape to masking film (up to 144") or paper (up to 18") in one continuous application. Compact, lightweight, saves time. For professional heavy duty use.



Part	Dispensers/
Number	Case
MM 3M 77385	4

### 3M™ HAND-MASKER™ M2000 DISPENSER

This dispenser applies masking tape to masking film (up to 72") or masking paper (up to 12"). A convenient wrist strap lets you free your hands and can be used to hang the dispenser on a hook. The M2



dispenser on a hook. The M2000 dispenser is the choice for light-duty masking.

Part Number	Dispensers/ Case
MM 3M 77384	4

### 3M™ HAND-MASKER™ DISPENSER CUT-OFF BLADES

These 3M<sup>™</sup> Cut-Off Blades are designed for use in conjunction with the 3M<sup>™</sup> Hand-Masker<sup>™</sup> Dispenser Model M-3X III.



Part Number	Size	Blades/Case
MM 3M 06794	6"	6
MM 3M 06795	9″	6
MM 3M 06796	12"	6
MM 3M 06804	6"	6

#### SCOTCH® DT30 DUAL-TAC™ TAPE

Apply to masking tape to hold poly and untaped edges of masking film.



Part Number	Color	Size	Rolls/ Pack	Packs/ Case
MM 3M 76741	Orange	3/4" x 60 yds.	6	4



#### 3M™ HAND-MASKER™ TACK-DOWN TAPE DISPENSER

Thisaccessoryattachment for the 3M™ Hand-Masker™ Dispenser accommodates an additional roll of masking tape for tacking down



the loose end of masking paper during masking applications. NOTE: MASKING PAPER NOT INCLUDED WITH DISPENSER ATTACHMENT.

Part Number	Dispensers/ Case
MM 3M 06787	6

### MASKING MACHINES

#### **SCOTCH® CART MASKER**

Dispenses one roll of masking paper up to 18" on each of the two levels. This masker has large, deep storage trays on the top and bottom. The narrow width, large handle, and 8" wheels make moving it very easy. In addition, this masker



has a built in storage rack for spray guns, and two hooks for Scotch® Paint Masking Tape – No. 233, or Scotch® Plastic Tape – No. 471, Blue. It is very easy to assemble. NOTE: MASKING PAPER NOT INCLUDED WITH MASKER.

Part Number	Maskers/Case
MM 3M 06781	1

Part Number	Tapers/Case
MM 3M 06865	1

#### **SCOTCH® TRAY MASKER**

Dispenses single rolls of masking paper. Built into the top is a handy large storage tray. This masker can be wall mounted. It is very easy to assemble. Available in either an 18" or 36". NOTE: MASKING



PAPER NOT INCLUDED WITH MASKER.

Part Number	Maximum Width of Masking Paper	Maskers/ Case
MM 3M 06783	36"	1
MM 3M 06784	18"	1

#### SCOTCH® APRON TAPER — 18"

Masking jobs are faster and easier with this unit that dispenses single paper aprons through 18" wide or adapts for most combinations up through



18" with conversion kit. NOTE: MASKING PAPER NOT INCLUDED WITH TAPER.



#### **SCOTCH® SLIMLINE APRON TAPER**

Dispenses three rolls of masking paper up to widths of 18" and can be easily moved from job to job with one-hand mobility. It maintains proper tape and paper alignment and doesn't require adjusting. NOTE: MASKING PAPER NOT INCLUDED WITH TAPER.



Part Number	Tapers/Case
MM 3M 06864	1

#### SCOTCH® APRON TAPER — 36"

Dispenses single aprons through 36" width or adapts for any combination of two paper widths up through 36". NOTE: MASKING PAPER NOT INCLUDED WITH TAPER.



Part Number	Tapers/Case
MM 3M 06866	1

#### **SCOTCH® MULTI MOBILE MASKER**

The complete masker that reduces labor costs. It's fast and convenient. Two-roll capacity with top and bottom dispensing system. Dispenses single aprons through 18" wide. Laminates tape to paper as paper is dispensed.



It comes easy to assemble –insert two bolts to complete frame and four bolts to mount lower cutting blade. NOTE: MASKING PAPER NOT INCLUDED WITH MASKER.

Part Number	Maskers/Case
MM 3M 06869	1

#### **SCOTCH® MOBILE FRAME**

Designed to have the Scotch® Apron Taper (PN06866) added to the top, this frame is for those wishing to build a mobile 36" dispenser. Preassembled except for insertion of two bolts to make frame operative.



Part Number	Frames/Case
MM 3M 06871	1

### REQUEST OUR CATALOGUE

info@mansuetomarine.it +39 0184 573346



### WELDING DRAPE

### 3M™ WELDING AND SPARK DEFLECTION PAPER

A flame retardant deflection paper formulated to protect vertical surfaces, glass



and paint from welding splatter and grinding sparks. Comes in an easy-to-use roll form with repositionable adhesive on one side.

### 3M™ WELDING AND SPARK DEFLECTION DISPENSER

This dispenser is designed for use with single rolls of 24" 3M™ Welding and Spark Deflection Paper (PN05916). It is very easy to assemble and can be wall or table mounted.



Part Number	Roll Size	Rolls/Case
MM 3M 05916	24" x 150'	2

Part	Dispensers/
Number	Case
MM 3M 05912	2

# 3M™ HIGH PERFORMANCE WELDING DRAPE

A unique construction of 100% carbon fiber. This sets this product apart from others used to protect surfaces from spark and weld splatter. Exceptional wear and tear resistance makes this drape one that won't



need to be replaced as often. At 57" x 80", it is the optimal size for local protection. Packed one blanket per case; each drape is packed in an upgraded zippered vinyl bag for storage.

Part Number	Size	Drapes/ Case
MM 3M 05919	57" x 80"	2

### 24h DELIVERY TO THE MEDITERRANEAN

### info@mansuetomarine.it





### **3M MARINE PRODUCTS**

Adhesive Sealant Selection Chart	***					d .
Applications	3M <sup>™</sup> Marine Adhesive Sealant 5200	3M™ Marine Adhesive Sealant Fast Cure 5200	3M™ Marine Adhesive Sealant Fast Cure 4200	3M <sup>™</sup> Marine Adhesive Sealant Fast Cure 4200 UV	3M™ Marine Sealant 101	3M™ Marine Sealant Silicon
Wood to:						
Metal (Deck/Hull Hardware)						
Wood (Wood Trim)						
Thru-Hull Fastening (Wooden Boat)						
Glass (sealing only)	NR	NR	NR			NR
Lexan™ Plastic	NR	NR	NR		NR	NR
Plastic Hardware (ABS, Nylon)						
Rub Rails						
Fiberglass to:						
Metal (Deck/Hull Hardware)						
Wood (Wood Trim)						
Thru-Hull Fastening (Wooden Boat)						NR
Glass (sealing only)	NR	NR	NR			
Lexan™ Plastic	NR	NR	NR		NR	
Plastic Hardware (ABS, Nylon)						
Rub Rails						
Glass (sealing only) to:						
Metal (Windshields)	NR	NR	NR			
Vinyl	NR	NR	NR		NR	
Other:						
Deck to Hull Joints					NR	NR
Attributes:						
Sandable (Y=Yes, N=No)	Y	Y	Y	Y	Y	N
Chemical Resistant (Y=Yes, N=No)	N	N	N	N	Y	Υ
Cure Rate (F=Fast, S=Slow)	S	F	F	F	S	F
Available Colors	White, Black, Tan, Mahogany	White	White, Black	White	White	White, Clear
Discoloration Resistance						

NR=Not Recommended



# COVERAGE CHARTS FOR ADHESIVE SEALANT PRODUCTS

Given the desired diameter of a bead or the dimensions of a seam, the coverage obtained from a cartridge can be looked up in the following charts. Note that the values are calculated for "no waste". The actual coverage will be based on application technique and overfill.

Bead Diameter (inch)		Length of Bead (lineal feet)		
Fractional	Decimal	for 10 fl. oz.	for 3 fl. oz.	
1/8″	0.125	126.2	37.8	
1/4"	0.250	31.6	9.4	
3/8"	0.375	14.0	4.2	
1/2"	0.500	7.9	2.3	

To find out more about these and other great 3M Marine Products, please call 1-877-366-2746, or visit www.3M.com/marine.

#### **SQUARE FOOT AREA COVERAGE**

Should it be necessary to cover an area with the adhesive sealant, the material should be dispensed from the container and spread with a trowel. Most trowels for spreading adhesives will have a notched edge to facilitate control of the thickness being applied. When the notch depth is known or can be measured, the coverage area can be determined from the following tables. Should it be necessary to apply a solid layer of a specific thickness, take the value given in the following table and divide the area by two.

	Notch Depth (inch)				
Package Size	1/16"	1/8″	3/16"	1/4"	
1 oz. Tube	0.4	0.2	0.1	0.1	
3 oz. Tube	1.2	0.6	0.4	0.3	
10 oz. Cartridge	4.0	2.0	1.3	1.0	
5 Gallon Pail	256	128	86	64	

### **3M MARINE ADHESIVES AND SEALANTS**

			fil .	8		A C
	5200	5200FC	4200	4200 UV	101	Silicone
Adhesive or Sealant	Both	Both	Both	Both	Sealant	Sealant
Above/Below Waterline	Both	Both	Both	Both	Both	Above
Strength	High	High	Medium	Medium	Medium	Low
Allows for Disassembly	No	No	Yes	Yes	Yes	Yes
"Skin Over" or Track Free Handling	48 Hours	1-2 Hours	1-2 Hours	1-2 Hours	5 Hours	5-10 Minutes
Cure Time	5-7 Days	24 Hours	24 Hours	24 Hours	14-21 Days	24 Hours
Cosmetic	No	No	No	Yes	No	No
Mechanical Fasteners Needed	No	No	Yes	Yes	Yes	
Solvent-Resistance	No	No	No	No	Yes	No
Color	White, Black, Tan, Mahogany	White	White, Black	White	White	White, Clear



### **ADHESIVES/SEALANTS**

### 3M™ MARINE ADHESIVE/SEALANT 5200

High performance, one-part polyurethane. Extremely strong and retains its strength above or below the waterline. Stays flexible. Watertight bonding/sealing of fiberglass, gelcoat and wood. Ideal for through-hull fastening, deck fittings, railings and transducers. Best when no removal is anticipated.



Part Number	Color	Container Size	Each/ Case
Tubes – Carded			
MM 3M 05203	White	3 oz.	6
MM 3M 05205	Black	3 oz.	6
MM 3M 05206	White	1 oz.	12
Cartridges			
MM 3M 06500	White	1/10 Gallon	12
MM 3M 06501	Tan	1/10 Gallon	12
MM 3M 06502	Mahogany	1/10 Gallon	12
MM 3M 06504	Black	1/10 Gallon	12
Pails			
MM 3M 05206	White	5 Gallon	1

#### 3M™ MARINE SEALANT 101

A high-quality polysulfide sealant that cures a firm, flexible rubbery seal with excellent waterproofing qualities. Seals fiberglass, wood, metal, glass and plastic. Ideal for Bedding hardware, moldings and hatches.



Part Number	Color	Container Size	Each/ Case
Cartridges			
MM 3M 06510	White	1/10 Gallon	12

#### 3M™ MARINE ADHESIVE/ SEALANT FAST CURE 5200

Faster curing version of 3M<sup>™</sup> Marine Adhesive Sealant 5200. Extremely strong and retains its strength above or below the waterline. Stays flexible. Watertight bonding/sealing of fiberglass, gelcoat and wood. Ideal for through-hull fastening, deck fittings, railings and transducers. Best when no removal is anticipated.



Part Number	Color	Container Size	Each/ Case
Tubes – Carded			
MM 3M 05220	White	3 oz.	6
Cartridges			
MM 3M 06520	White	1/10 Gallon	12

#### 3M™ MARINE ADHESIVE/ SEALANT FAST CURE 4200

A one-part general purpose polyurethane that delivers strong, flexible bonds. Bonds and seals fiberglass, gelcoat and wood. Ideal for rub-rails, stern-joints, deck and through-hull fittings, and access plates. Medium strength allows for disassembly.



Part Number	Color	Container Size	Each/ Case
Tubes – Carded			
MM 3M 05260	White	3 oz.	6
Cartridges			
MM 3M 06560	White	1/10 Gallon	12
MM 3M 06564	Black	1/10 Gallon	12



#### 3M™ MARINE ADHESIVE/ SEALANT FAST CURE 4000UV

A one-part polyether formula that has superior U.V. resistance and cures to form a firm, rubbery, watertight seal. Remains flexible. Bonds and seals metal, gelcoat, fiberglass, wood and plastic. Ideal for deck hardware, hatches, portholes, transducers, railings and navigation lights. Great for visible bond lines.



Part Number	Container Size	Each/ Case
MM 3M 06580	1/10 Gallon	12
MM 3M 06586	400ml Flex Pack	12
MM 3M 05280	3 oz.	6

### 3M™ MARINE GRADE SILICONE SEALANT

This high quality silicone is designed for the harsh marine environment. It forms a mildewresistant, non-yellowing seal that remains flexible even after years of exposure.



Part Number	Color	Container Size	Each/ Case
Tubes - Carded			
MM 3M 08017	White	3 oz.	6
MM 3M 08019	Clear	3 oz.	6
Cartridges			
MM 3M 08027	White	1/10 Gallon	12
MM 3M 08029	Clear	1/10 Gallon	12

#### **COVERAGE CALCULATOR TABLE**

Given the seam dimensions, chart provides lineal feet per cartridge (assumes no waste).

	Width				
Depth	1/8"	3/16"	1/4"	5/16"	3/8"
1/8"	96.3	64.2	48.1	38.5	32.1
3/16"	64.2	42.8	32.1	25.7	21.4
1/4"	48.1	32.1	24.1	19.3	16.0
5/16"	38.5	25.7	19.3	15.4	12.8
3/8"	32.1	21.4	16.0	12.8	10.7
7/16"	27.5	18.3	13.8	11.0	9.2

THOUSANDS OF SOLUTIONS JUST ONE SUPPLIER

Mansueto Marine dispose one of the best warehouse in Europe

www.mansuetomarine.it



### **3M ADHESIVE SEALANT ACCESSORIES**

#### 3M™ CARTRIDGE APPLICATOR GUN

1/10 gallon cartridge gun for use with adhesive, sealants and glazing compound cartridges.



Part Number	Each/Case
MM 3M 08992	12

### 3M™ PROFESSIONAL CAULKING GUN

A high-performance gun, designed for the professional, to be used for dispensing 1/10 gallon sized cartridges.



Part Number	Each/Case
MM 3M 08993	1

### 3M™ FLEXIBLE PACKAGE APPLICATOR GUN

A fully enclosed, all metal, rod driven, friction feed applicator gun for use with all 310ml or smaller foil flexible packages.



Part Number	Size	Each/Case
MM 3M 08398	400ml	2

### 3M™ FLEX PACK HEAVY DUTY APPLICATOR GUN

A fully enclosed, al metal, rod driven, friction feed gun. For use with 400ml foil flexible packages. Ideal for use with 3M<sup>TM</sup>



Marine Adhesive Sealant Fast Cure 4000UV (PN06586).

Part Number	Size	Each/Case
MM 3M 08991	400ml	2

# 3M SEALERS, COATINGS AND ADHESIVES ORGANIZER

This organizer has one door which opens either on the right or on the left, is lockable and can be hung on a wall or placed on a shelf. It measures 30-1/8"



high, 14-1/8" wide and 12-1/8" deep and is made of sturdy 24 gauge American steel. The weight is 26 pounds. Not a 3M product. To order, call Shopware at 1-800-877-9344. NOTE: PRODUCT IS NOT INCLUDED WITH THE ORGANIZER.

Part Number	Description	Each/Case
MM 3M 02508	Right Side (door opens on left)	1

<sup>\*</sup> Not stocked as a 3M item.



### **ADHESIVES**

### 3M™ SUPER WEATHERSTRIP ADHESIVE

For adhering all types of weatherstrip to doors. Light colored, very fast drying, exceptional



bonding strength. Used as a gasket adhesive on engines.

Part Number	Container Size	Tubes /Case
MM 3M 08001	5 oz. Tube	6

### 3M™ WEATHERSTRIP ADHESIVE — BLACK

For bonding trim fabrics (except vinyl), deck mats and rugs, etc. Also good general cement.



Has quick tack and will not bleed through fabric.

Part Number	Color	Container Size	Tubes/ Case
MM 3M 08011	Black	5 oz. Tube	6

#### 3M™ FAST TACK ADHESIVE

A light-colored, extremely fastdrying, non-stain adhesive with long tack for attaching



vinyl and other kinds of trim fabric, upholstery, floor mats and carpeting.

Part Number	Container Size	Tubes/Case
MM 3M 08031	5 oz. Tube	6

#### 3M™ FEATHERING DISC ADHESIVE TYPE II

Specially formulated to allow multiple disc applications without adhesive buildup or paper delamination. Discs remove easily and cleanly.



Part Number	Container Size	Tubes/Case
MM 3M 08051	5 oz. Tube	6

# 3M™ SCOTCH-SEAL™ METAL SEALANT 2084

An aluminum colored, general purpose, medium viscosity sealant with good adhesion to aluminum and glass. Ideally suited for



beading glass in aluminum window channels.

### **EASY ORDERS**

giacomo@mansuetomarine.it roberta@mansuetomarine.it

Part Number	Container Size	Tubes/Case
MM 3M 20227	5 oz. Tube	6



#### 3M™ ULTRAPRO™ HIGH TEMP SILICONE GASKET



Premium grade compound for form-in-place gasketing. Range from -20°F to 600°F. Oxygen sensor safe.

Part Number	Color	Container Size	Tubes/ Case
MM 3M 08672	Black	3 fl. oz. Tube	6

#### 3M™ STRUCTURAL ADHESIVE KIT

A two-part general purpose gray adhesive that may be used for miscellaneous fiberglass repair and bonding trim ornaments.



Part Number	Container Size	Kits /Case
MM 3M 08101	2-2 fl. oz./kit	6

# 3M<sup>™</sup> QUICK FIX ADHESIVE (CYANOACRYLATE)

A strong, rapid-bonding, convenient-to-use adhesive. It has excellent adhesion to most rubber, weatherstripping, vinyl, metals, glass, wood and plastics as well as excellent resistance to temperature extremes, shock and most marine chemicals and fluids.



Part Number	Container Size	Bottles/Case
MM 3M 08155	1 oz. Bottle	12

#### 3M™ STRIP-CALK

For sealing openings where a soft, non-hardening material is



needed. Good for use in seams and under deck hardware. 3M<sup>™</sup> Strip-Calk is waterproof, will not shrink, can be painted and requires no application tools. Each box contains 60, 1 ft. lengths.

Part Number	Color	Containers/Case
MM 3M 08578	Black	12

# 3M™ AUTOMIX™ FAST CURE EPOXY ADHESIVE — CLEAR

A super strong two-part epoxy for bonding metal, glass, plastic, wood and fiberglass. Adhesive is conveniently dispensed by



the 3M<sup>™</sup> Automix<sup>™</sup> Applicator Gun (PN08191).

Part Number	Duo-Packs/Case
MM 3M 08107	6

#### 3M™ HEAVY DUTY 2 OZ. AUTOMIX™ APPLICATOR GUN



Designed for use with all 2 oz.  $3M^{TM}$  Automix $^{TM}$  products.

Part Number	Each/Case
MM 3M 08191	1



### **AEROSOL ADHESIVES**

#### 3M™ SPRAY TRIM ADHESIVE

A transparent, extremely fast drying adhesive with long tack for attaching upholstery cloth, floor mats, carpeting, etc. to painted or bare metal, wood, KB board or other trim materials. May also be used to bond styrofoam.



Part Number	Container Size	Cans/Case
MM 3M 08074	24 oz. Aerosol	6

# 3M™ GENERAL TRIM ADHESIVE — CLEAR, LOW VOC

A fast-drying, high-strength, 50% VOC clear adhesive in an aerosol container. Designed for bonding most types of trim used in boat trim except unsupported vinyl. Excellent for fabrics, upholstery foam, carpets. Do not use on styrofoam.



Part Number	Container Size	Cans/Case
MM 3M 08088	24 oz. Aerosol	4

#### 3M™ SUPER TRIM ADHESIVE

A fast-acting, high-strength, aerosol contact adhesive designed for two-surface application. This adhesive is resistant to heat and plasticizing oils and is excellent for attaching vinyl, insulation, foam, padding and rubber parts to metal and other surfaces. Bonds can be made within minutes of application or as long as one hour later.



Part Number	Container Size	Cans/Case
MM 3M 08090	24 oz. Aerosol	6

#### 3M™ INDUSTRIAL SPRAY ADHESIVE

An economical, industrial grade, general purpose aerosol adhesive. It bonds a wide variety of lightweight materials including paper, cardboard, plastic films, foam, and fiberglass insulation.

Part Number	Container Size	Containers/Case
MM 3M 87998	24 fl. oz.	12

# 3M™ SUPER 77 SPRAY ADHESIVE LOW MIST

Reformulated to reduce misting and VOC emissions while increasing adhesive coverage. A high-tack, high-coverage, fast-drying, transparent adhesive for permanently attaching foils, carpeting, foams, paper, cardboard, felt, cloth, etc. to painted or unpainted metals, wood, hardboard, and other base materials.



Features: convenient, fast, easy application; high coverage, aggressive high tack, long bonding range; two actuators, one actuator for standard spray pattern, second actuator for wide spray pattern; excellent spray control, uniform spray coat, high initial "grab" with sufficient open time to allow for positioning of materials. Contains no methylene chloride, 1,1,1-trichloroethane or chlorofluorocarbons.

Part Number	Container Size	Cans/Case
MM 3M 21210	24 oz. Aerosol	12



#### 3M™ HIGH TACK ADHESIVE 76

A high-tack adhesive with fast strength build-up. Used by sailmakers when tacking parts of sails together prior to sewing. Apply to one surface. It comes out of the can in a "lace" spray for more control. Also attaches nameplates and swimming pool liners.



Part Number	Container Size	Cans/Case
MM 3M 30026	24 oz. Aerosol	12

#### 3M™ FOAM FAST ADHESIVE 74

Excellent aerosol adhesive for general upholstery form bonding. Its characteristics include: fast tack; foam tearing strength; soft, nondimpling glue line; non-misting; precise spray control and variable width spray. Applications include forming foam shapes by knife edge



bonding, boxing and edge turning and attaching foam to metal. Contains no methylene chloride. 1,1,1- trichloroethane or chlorofluorocarbons.

Part Number	Container Size	Cans/Case
MM 3M 82242	24 fl. oz.	12

#### SCOTCH-WELD™ STRUCTURAL PLASTIC ADHESIVE DP-8005 AND DP-8010

Two-part acrylic based adhesives (10:1 ratio by volume) that can bond many low surface energy plastics, including many grades of polypropylene, polyethylene and TPO's without special surface preparation. Especially effective with marine King Starboard® applications. Difference in the two products is their open time: DP-8005 has an open time of 5 minutes, and DP-8010 has an open time of ten minutes. Both products can replace screws, rivets, plastic welding, and two-step processes which include chemical etchants, priming or surface treatments in many applications.

**Important:** For the 35ml size, use only the specified 3M™ EPX Plus II Applicator System (PNs 50004 or 50007) or the appropriate meter mix equipment to ensure the proper 10:1 mix ratio and mix. Hand mixing is not recommended as it may produce unpredictable results.

Part Number	Product	Size	Open Time	Each/ Case
MM 3M 45167	DP-8005 Black	35ml	5 min.	12
MM 3M 41547	DP-8005 Translucent	35ml	5 min.	12
MM 3M 41548	DP-8005 Translucent	250ml	5 min.	12
MM 3M 49110	DP-8010	35ml	10 min.	12
MM 3M 96309	DP-8010 NS (non-sag)	35ml	10 min.	12

#### 3M™ HIGH-STRENGTH ADHESIVE 90

The fastest drying, high-strength aerosol contact adhesive that 3M offers. Drying in just one to two minutes, substrates that are to be bonded can be assembled productivity. for improved faster Bonds difficult substrates including: polyethylene, polypropylene, many other plastics. Comes with an adjustable tip that allows the selection of a 1 to 3 inch spray width to match any application



requirement. Contains no methylene chloride, 1,1,1- trichloroethane or chlorofluorocarbons.

Part Number	Container Size	Cans/Case
MM 3M 30023	24 oz. Aerosol	12

#### 3M™ SCOTCH-WELD™ EPX™ PLUS II **APPLICATOR W 2:1 AND 1:1 PLUNGER MODEL 9170**

This plunger is for the 3M™ Scotch-Weld™ EPX™ Plus II Applicator. The EPX Plus II Applicator is used to dispense 3M™ Scotch-Weld™ adhesives in duo-pak cartridges.

Part Number	Description	Quantity/Case
MM 3M 50004	10:1 Ratio	10
MM 3M 50007	Nozzle	10



#### 3M™ FASTBOND™ 30NF CONTACT ADHESIVE — NEUTRAL

A water dispersed, highstrength, non-flammable contact adhesive. Has highcoverage, a long-bonding range, and good heat resistance. Used to bond plastics, plastic laminate, wood, plywood and



wood veneer and canvas to themselves and to each other.

Part Number	Container Size	Containers/Case
MM 3M 21180	1 Quart	12
MM 3M 21181	1 Gallon	4
MM 3M 21182	5 Gallon Pail	1
MM 3M 21183	55 Gallon Drum (Open Head)	1

#### 3M™ CITRUS BASE CLEANER

A multi-purpose cleaner which will dissolve and flush away dirt, grease, tar, most non-curing type adhesive films, and similar substrates. It is a citrus oil based cleaner that emulsifies when flushed with water and contains no petroleum distillates. Use it to clean and degrease metal parts, motors, tools, and concrete. Contains no ozone depleting chemicals.



Part Number	Container Size	Containers/Case
MM 3M 76394	24 fl. oz.	12

#### SCOTCH-GRIP™ INDUSTRIAL ADHESIVE 4491

A light tan, sprayable, fast drying adhesive with good resistance to plasticizer migration. Formulated to be a HAPS free and SCAQMD Rule 1168 compliant solvent based adhesive. Ideal for bonding many vinyl extrusions and sheeting. Bonds made with it exhibit high strength and resistance to weathering, water, oil and many solvents.

#### 3M<sup>™</sup> FASTBOND<sup>™</sup> 10 CONTACT ADHESIVE — NEUTRAL

A brushable, air-drying, neutral-colored contact adhesive used for bonding decorative laminates, aluminum, steel, wallboard, plywood, panels, wood and wood veneer, rubber,



canvas and other porous and non-porous materials to each other or to themselves. Bonds immediately and permanently upon application eliminating the need for clamping or fixturing the materials being bonded. Offers exceptional highbond strength and superior resistance to heat and sunlight.

Part Number	Container Size	Containers/Case
MM 3M 20272	1 Quart	12
MM 3M 20274	1 Gallon	4

### 3M™ GENERAL PURPOSE ADHESIVE CLEANER

A specially blended solvent that provides easy cleanup of most types of adhesives, and quickly removes waxes, greases, oil and tars. When properly used, it will not harm thoroughly dried paint, vinyl or fabrics.



Part Number	Container Size	Containers/Case
MM 3M 08984*	1 Quart Can	6
MM 3M 08986*	5 Gallon Pail	1
MM 3M 08987	20 oz. Aerosol Can	12

Part Number	Container Size	Containers/Case
MM 3M 50046	5 Gallon Pail	1
MM 3M 50045	55 Gallon Pail	1



#### **BULK ADHESIVES**

#### 3M™ HI-STRENGTH 90 ADHESIVE (BULK)\*

A bulk version of 3M Brand Hi-Strength 90 Spray Adhesive. A high strength, fast, contact-type adhesive. It has fast contact strength buildup for many decorative laminates, yet only needs one or two minutes of drying time. Excellent adhesive



for decorative laminates, particleboard, and many other materials, even polyethylene, polypropylene, and SBR rubber.

Part Number	Container Size	Containers/Case
MM 3M 43799	1 Gallon	4
MM 3M 43797	5 Gallon Pail	1
MM 3M 43814	55 Gallon Drum	1

#### 3M™ SUPER 77 ADHESIVE (BULK)\*

Abulk version of 3M Brand Super 77 Spray Adhesive. A high tack, high coverage, fast drying, transparent adhesive for permanently attaching foils, carpeting, many lightweight foams, paper, cardboard, felt, and cloth to painted or unpainted



metals, wood, hardboard, and other base materials. Some of the features are: high coverage, aggressive high tack, and long bonding range. It provides high initial "grab" with sufficient open time to allow for positioning of materials.

Part Number	Container Size	Containers/Case
MM 3M 43798	1 Gallon	4
MM 3M 43793	5 Gallon Pail	1
MM 3M 43813	55 Gallon Drum	1

## 3M™ HI-STRENGTH 90 CYLINDER SPRAY ADHESIVE\*

3M<sup>™</sup> Hi-Strength 90 Cylinder Spray Adhesive applies translucent adhesive in a controlled lace pattern. For two-surface bonding only. Bonding within 15 minutes is recommended. Forms a permanent bond with typical shear strength of 45 psi (initial) to 230 psi



(ultimate) and peel strength of 25 piw. Can be used in construction, display assembly, furniture assembly/repair and general assembly tasks including the bonding of kick plates to office desks and plastic lettering to wood.

Part Number	Container Size	Containers/Case
MM 3M 41554	47.7 lbs.	1
MM 3M 41599	26.2 lbs.	1

#### 3M™ FOAMFAST 74 SPRAY ADHESIVE\*

3M™ FoamFast 74 Spray Adhesive bonds foam to itself or other materials including most fabrics, wood or metal. Fast tack and non-dimpling. Various spray widths, from 1" to 12" can be achieved.

Part Number	Container Size	Containers/Case
MM 3M 49158	28.8 lbs.	1

## 3M™ SCOTCHGRIP™ 1300L RUBBER AND GASKET ADHESIVE

A yellow, premium quality, versatile, heat resistant adhesive that develops strength rapidly. Has excellent adhesion to metal, wood, most plastics, and neoprene, reclaim, SBR, and butyl rubber.

Part Number	Container Size	Containers/Case
MM 3M 19936	5 Gallon Pail	1



### 3M<sup>TM</sup> COMMAND<sup>TM</sup> ADHESIVES

#### 3M™ COMMAND™ **ADHESIVE PRODUCTS**

3M<sup>™</sup> Command<sup>™</sup> Strips enable boat consumers to mount objects firmly on many surfaces and remove them without damaging the surface or leaving behind any sticky adhesive residue. 3M Command strips are available with hooks and clips or as replacement strips for a wide variety of applications. Hooks hold clothing, towels, etc. Clips for marine cables, wires and electronics. Hooks with Command water-resistant strips are available for use in wet environments. 3M Command strips hold on strongly, come off cleanly and leave no surface damage.

Part Number	Catalog Number	Description/ Size	Each/ Pack	Packs/ Case
MM 3M 65141	17001	Medium Utility Hooks 3.875" x 7.75" x 1.25"	6	36
MM 3M 65142	17003	Large Utility Hooks 3.875" x 7.75" x 1.25"	6	36
MM 3M 65601	17017	Wire Clips 3.875" x 7.75" x .438"	6	36
MM 3M 65988	17024	Poster Strips 3.875" x 7.75" x .188"	6	36
MM 3M 66206	17003CS	Clip Strip Large Utility Hooks	12	12
MM 3M 66207	17001CS	Clip Strip Medium Utility Hooks	12	12
MM 3M 66209	17024CS	Clip Strip Poster Strips	12	12
MM 3M 70532	17002	Small Hooks 7.75" x .3.876" x .75"	6	36
MM 3M 70533	17006	Mini Hooks 7.75" x .3.876" x 1"	6	36
MM 3M 70534	17004	Jumbo Hooks 7.75" x .3.876" x 1.875"	6	36
MM 3M 70535	17005	Spring Clip 7.75" x .3.876" x 1"	6	36
MM 3M 70536	17040	Sawtooth Picture Hanger 7.75" x .3.876" x .5"	6	36
MM 3M 85158	17081B	Medium Hooks 5.75" x 3.875" x .3	6	36
MM 3M 85159	17083B	Jumbo Hook 5.75" x 3.875" x 1.573	4	24
MM 3M 79268	17200	Removable Mounting Strips 6.75" x 3.875" x .125	6	36
MM 3M 80974	17201	Picture Hanging Strips 6.75" x 3.875" x .32	9	27
MM 3M 52184	17-SK	Display	1	35









17001

17003

17017









17003CS

17001CS

17201

17002









17006

17004

17005

17040



17081B



17-SK



#### **FASTENING SYSTEMS**

## 3M™ MARINE RECLOSABLE ATTACHMENT SYSTEM

Fivetimesstrongerthanconventional hook-and-loop fasteners. Industrial strength adhesive holds backing securely in place. Use for attaching marine electronics. Secure boat cushions, floor mats or mount pictures on cabin walls. Keeps loose items secure until they are needed.



## 3M<sup>™</sup> SCOTCHMATE<sup>™</sup> HOOK-AND-LOOP FASTENING SYSTEM

The 3M<sup>™</sup> Scotchmate<sup>™</sup> Hook-and-Loop Fastening System is comprised of two, 1" x 12" woven nylon strips, one strip of



hook material and one of loop material, that mate together to hold items securely in place. Each strip is backed with a premium quality pressuresensitive adhesive that is designed to meet the high and low temperature demands encountered in marine applications. Each 3M Scotchmate hookand-loop package contains 12 mated strips and can be used for counter or pegboard display.

Part Number	Size	Each/Case	
MM 3M 06539	Four 3" Strips	12 Blister Cards	

Part	Size	Each/	Boxes/
Number		Box	Case
MM 3M 06480	1" x 12" Mated Strips	12	6

## 3M™ DUAL LOCK™ RECLOSABLE FASTENERS

Two types of continuous plastic strips (Type 400 and Type 170) with mushroom shaped stems. They are



designed to engage together one with another to provide reclosable fastening for a wide range of applications. 3M™ Dual Lock™ 400 has a dense stem pattern of approximately 400 stems/sq. in. Mating this product with 3M Dual Lock type 170 provides the most universal fastener combination in the 3M Dual Lock system. It locks together in any position and is generally the best choice for joining two surfaces when using the pressuresensitive 3M Dual Lock products. 3M Dual Lock 170 has approximately 170 stems/sq. in. Besides general use with 3M Dual Lock type 400 it can also be mated with 3M™ Scotchmate™ loop products to provide an exceptional high-strength fastener with a limited reclosure life.

#### 3M<sup>™</sup> DUAL LOCK<sup>™</sup> PLAIN BACKED RECLOSABLE FASTENERS (SJ-3441 TYPE 400 AND SJ-3442 TYPE 170)

Plain Backed (no adhesive) 3M™ Dual Lock™ products are intended for attachment to various surfaces by sewing or by ultrasonic bonding to themselves, each other, or other polypropylene surfaces.

#### **WE STOCK IT!**

www.mansuetomarine.it



#### 3M<sup>™</sup> DUAL LOCK<sup>™</sup> PRESSURE-SENSITIVE BACKED GENERAL PURPOSE RECLOSABLE FASTENERS (SJ-3541 TYPE 400 AND SJ-3542 TYPE 170)

Designed for general purpose kinds of dynamic and static load applications where temperatures do not exceed 120°F. When applied under normal conditions, high adhesive bonds can be achieved to a wide variety of clean, dry surfaces including difficult surfaces like polyethylene and polypropylene.

#### 3M<sup>™</sup> DUAL LOCK<sup>™</sup> PREMIUM PERFORMANCE RECLOSABLE FASTENERS (SJ-3551 TYPE 400 AND SJ-3552 TYPE 170)

High adhesive bonds can be achieved to a variety of surfaces, including paint, metal, and most plastics (except polyethylene or polypropylene). Special performance characteristics include:

- Good temperature and humidity cycling from -20°F to +200°F and 0% to 100% relative humidity.
- Good low and high temperature impact resistance at 20°F to 158°F.

Part Number	Product Number	Color	Packs/ Case
	1" x 50 yd	ls.	
MM 3M 86229	SJ3441	Black	2
MM 3M 86230	SJ3442	Black	2
MM 3M 86277	SJ3541	Black	2
MM 3M 86309	SJ3542	Black	2
MM 3M 86289	SJ3551	Black	2
MM 3M 86279	SJ3552	Black	2

## 3M™ DUAL LOCK™ RECLOSABLE FASTENING SYSTEM MINI PACKS

3M™ Dual Lock™ Reclosable Fastening System offers advanced closure alternatives to zippers, screws, snaps, hooks, bolts and more. They're often better than conventional closure



methods because they offer greater design flexibility, faster product assembly, smoother and cleaner exterior surfaces and improved product performance.

The new Mini Packs are great for design development and small-volume production requirements. Now you can inexpensively test and evaluate 3M's most popular reclosable fastening systems before making a more substantial investment. Mini Packs also simplify storage and dispensing.

Available in Mini Packs are both plain backed sewon and adhesive-backed fasteners which allow for faster, easier attachment. Pressure-sensitive adhesive-backed versions include both general purpose and very-high-bond VHB adhesives. Roll size is 1" x 4.9 vds./1 roll each of both sides

Roll size is 1" x 4.9 yds./1 roll each of both sides included. There are 5 rolls per case.

Part Number	Product Number	Description	Temp.
	В	lack	
MM 3M 06483	MP-3541/42	General Purpose Pressure-Sensitive Rubber Adhesive/ Bonds to Most Surfaces	120°F Continuous 158°F Intermittent
MM 3M 06484	MP-3551/5	Premium Acrylic Pressure-Sensitive Very-High-Bond Scotch™ VHB™ Adhesive UV and Plasticizer Resistant	Up to 200°F
Clear			
MM 3M 06463	MP-3560	"Clear" 3M™ Dual Lock™ Very-High- Bond Scotch™ VHB™ Adhesive UV and Plasticizer Resistant	Up to 200°F



#### **LUBRICANTS**

#### 3M™ PENETRANT

3M<sup>™</sup> Penetrant is a deep penetrating lubricant which frees rusted bolts, nuts, screws, and other mechanical fasteners. Also, it lubricates and protects against corrosion. Special spray tip actuator produces a straight shot spray pattern, minimizing overspray.



**	
100	
lim?	

Part Number	Container Size	Cans/Case
MM 3M 08876	12 oz. Aerosol	12

#### 3MTM 4-WAYTM SPRAY LUBRICANT

A specialized formula for general or allaround use. It provides characteristics of a lubricating oil, a penetrating oil and a demoisturizing coating. A thinbodied, transparent rust-preventative coating. Contains no silicone.



Part Number	Container Size	Cans/Case
MM 3M 08898	10.5 oz. Aerosol	12

#### 3M™ SPRAY LUBE

3M<sup>™</sup> Spray Lube is a clear fluid, highperformance, general purpose grease. It is designed to be water resistant. 3M<sup>™</sup> Spray Lube can be used to lubricate many items including hinges, latches and seat tracts. 3M<sup>™</sup> Spray Lube flows as a liquid then sets up to a uniform coating of grease.



Part Number	Container Size	Cans/Case
MM 3M 08878	11 oz. Aerosol	12

#### 3M™ SILICONE LUBRICANT

Use 3M™ Silicone Lubricant to lubricate moving parts; eliminate squeaks caused by friction; prevent sticking and freezing; protect against rust and corrosion; seal out moisture;



preserve plastic, rubber, leather; help prevent build up of glues, waxes, inks, paints, etc. Each can comes with a handy snorkel tube for small, hard-to-reach areas. It slips easily into the spray nozzle. Contains no methylene chloride, 1,1,1trichloroethane or chlorofluorocarbons.

Part Number	Container Size	Cans/Case
MM 3M 85822	24 fl. oz. Aerosol	12

#### 3M™ LITHIUM LUBRICANT

A heavy bodied lubricant with snorkel spray for hard-to-get-at areas. Excellent on all metal-to-metal parts.



Part Number	Container Size	Cans/Case
MM 3M 08875	10.5 oz. Aerosol	12



#### 3M™ BRAKE LUBE/ANTI-SEIZE

3M™ Brake Lube/Anti-Seize is a premium grade lubricant designed to prevent the seizure of close fitting metal parts. 3M™ Brake Lube/Anti-Seize Compound is resistant to high temperatures and designed to be used in critical applications such as lubricating brake parts, head bolts, spark plugs, oxygen sensors and most threaded fasteners.

#### 3M™ SILICONE PASTE

3M™ Silicone Paste is a 100% solid compound that is resistant to water and prevents oxidation on rubber or plastic parts such as weatherstrips, "O" rings, and rubber bushings. It can also be used to seal ignition systems. It has very good dielectric properties.



Part Number	Container Size	Cans/Case
MM 3M 08945	9 oz. Can	6

Part Number	Container Size	Cans/Case
MM 3M 08946	8 oz. Can	6

#### 3M™ CHOKE AND CARB CLEANER

Penetrates quickly to loosen and clean away varnish, oil and gum. Has fast-cleaning action plus a powerful spray to flush away residue. Dries fast and may be used on cold, hot or running engines.



## 3M™ SILICONE LUBRICANT PLUS (WET TYPE)

A high solids silicone lubricant that provides a long "wet" appearance and increases sliding or lubricating qualities.



Part Number	Container Size	Cans/Case
MM 3M 08796	12.5 oz. Aerosol	12

Part Number	Container Size	Cans/Case	
MM 3M 08877	9 oz. Aerosol	12	

FOR YOUR TELEPHONE ORDERS +39 0184 573346

E-MAIL ORDERS giacomo@mansuetomarine.it roberta@mansuetomarine.it

GENERAL INQUIRIES info@mansuetomarine.it



# PAINT AND VARNISH REMOVER AND ACCESSORIES

## 3M™ SAFEST STRIPPER™ PAINT AND VARNISH REMOVER

A revolutionary paint and varnish stripper that can be applied without gloves; just brush on a thick coat. It contains no methylene chloride fumes, non-caustic, no unpleasant odors, non-flammable and cleans up easily with water. Great for below deck applications where fumes can be a nuisance.



## 3M<sup>™</sup> HEAVY DUTY STRIPPING PADS (FOR FLAT SURFACES)

The pads won't splinter, rust or shred like steel wool. They replace and outperform #2 and #3 steel wool. Ideal for marine applications.



Part Number	Size	Containers/Case
MM 3M 10101	1 Quart	6
MM 3M 10103	1 Gallon	2

Part	Size	Pads/	Packages/
Number		Package	Case
MM 3M 10111	3-1/2" x 5" x 1/2"	2	12

## 3M<sup>™</sup> HEAVY DUTY STRIPPING PADS (FLEXIBLE FOR CURVED SURFACES)

These pads provide aggressive stripping action, great on curved or rounded marine surfaces. They replace and outperform #2 steel wool.



## 3M™ FINAL STRIPPING PADS (FOR RESIDUE REMOVAL)

Use these pads to thoroughly clean marine surfaces of any remaining stripper residue.

This pad replaces "0" steel wool.



Part	Size	Pads/	Packages/
Number		Package	Case
MM 3M 10112	6" x 3-7/8"	2	12

Part		Pads/	Packages/
Number Size		Package	Case
MM 3M 10113	6" x 3-7/8"	2	12



## **3M RESPIRATOR SELECTION GUIDE**

Sanding and Grinding		Composites	Chemical Power Washing
Paint Containing Lead	Metal, Polyurethanes, Wood, Fiberglass		
3M™ Half Facepiece Respirators 6000 Series	3M™ Half Facepiece Respirators 6000 Series	3M™ Organic Vapor Respirator Assembly 51P71, 52P71, 53P71	3M™ Full Facepiece Respirator Assembly OV/P95 67P71, 68P71, 69P71
3M™ Full Facepiece Respirators 6000 Series	3M™ Full Facepiece Respirators 6000 Series	3M™ Professional Respirator Assembly Series R7511ES, R7512ES, R7513ES with 3M™ Organic Vapor Cartridge 6001	3M™ Professional Series Half Facepiece 7500 Series with 3M™ Face Shield Kit 1631
3M™ Particulate Filter 7093	3M™ Speedglas™ Products	3M™ Particulate Respirator 8247, R95, with Nuisance Level Organic Vapor Relief*	
3M™ Particulate Filter 2091	3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR) Paint Spray Kit GVP-PSK Kit. Use 3M™ High Efficiency Cartridge GVP-440	3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR) Paint Spray Kit GVP-PSK Kit. Use 3M™ High Efficiency Cartridge GVP-441	
	3M™ Particulate Respirator 8210, N95		
	3M™ Particulate Respirator 8511, N95		

 $<sup>^{\</sup>star}$  Nuisance level refers to concentrations not exceeding OSHA PEL/OEL or applicable exposure limits, whichever is lower.



Paint	Welding	Etching
Roller Brush Spray Paint	Steel, Zinc Oxide, Stainless, Galvanized	
3M™ Speedglas™ Products	3M™ Professional Series Half Facepiece 7500 Series	3M™ Full Facepiece Respirators 6000 Series
3M™ Professional Series Respirator Assembly R7511ES, R7512ES, R7513ES	3M™ Speedglas™ Products	3M™ Organic Vapor/Acid Gas Cartridge 6003
3M™ Full Facepiece Respirators 6000 Series	3M™ Particulate Welding Respirator 8515, N95	3M™ Multi Gas Cartridge 6006
3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR) Paint Spray Kit GVP-PSK Kit. Use 3M™ Organic Vapor/High Efficiency Cartridge GVP-441		
3M™ Supplied Air Respirator Systems H-Series Hoods		

**EASY ORDERS** 

## CUSTOMER CONTACT CENTRE


www.mansuetomarine.it +39 0184 573346



#### **GRINDING AND SANDING APPLICATIONS**

Workers who perform grinding, sanding andrelated operations should always use properrespiratory protection. In addition, they shoulduse protection against head, face and eye injury aswell as protection against hearing loss. 3M offersproducts that can help protect and keep workerscomfortable and safe in these applications.

## 3M™PARTICULATE RESPIRATOR 8210,N95



- Lightweight construction
- Foam nose seal
- Adjustable noseclip
- Helps provide excellent worker protection

## 3M™PARTICULATE RESPIRATOR 8511,N95

• 3M<sup>™</sup>Cool Flow<sup>™</sup>Exhalation Valve for added comfort and easierexhalation in hot and humid work settings



- Lightweight construction
- Helps provide excellent worker protection
- Stapled straps
- M-noseclip

Part Number	Respirators/Box	Boxes/Case
MM 3M 8210	20	8

Part Number	Respirators/Box	Boxes/Case
MM 3M 8511	10	8

#### 3M™PARTICULATE RESPIRATORS 9210,9211,N95



- Collapse resistant design
- Closed cell foam nose seal
- Easy to carry and to store
- Conforms to a wide range of face sizes
- Lightweight and comfortable
- 9211 (shown) has 3M<sup>™</sup>Cool Flow<sup>™</sup> Exhalation Valve for added comfort and easier exhalation in hot and humid work settings

Part Number	Respirators/Box	Boxes/Case
MM 3M 9210	20	12
MM 3M 9211	10	12

# MORE THAN 5.000 DATASHEET AVAILABLE FOR FREE

DOWNLOAD IT FROM www.mansuetomarine.it



#### 3M™HALF FACEPIECE RESPIRATOR PACKOUT 6191,6291,6391,P100

- Lightweight, comfortable
- Replaceable filters
- Available in 3 sizes
- Appropriate for use against asbestos
- Includes 1 pair of filters 2091, P100



The facepiece included with this packout can also be used with the filters shown below for grinding and sanding.





Particulate Filter 2071,P95

2097,P100\*,\*\*



Particulate Filter 2091,P100



Particulate Filter



Particulate Filter 7093,P100•

\* Provides nuisance level organic vapor relief. Nuisance level refers to concentrations notexceeding OSHA PEL or applicable government exposure

levels, whichever is lower.

\*\* 3M recommended for ozone protection up to 10 times the OSHA PEL.

This product is not NIOSH approved for ozone protection.

Part Number	Packout Description	Respirators /Bag	Bags/ Case
MM 3M 6191	Small	1	24
MM 3M 6291	Medium	1	24
MM 3M 6391	Large	1	24

Part Number	Filters/Bag	Bags/Case
MM 3M 2071	2	50
MM 3M 2091	2	50
MM 3M 2097	2	50
MM 3M 7093	4	15
MM 3M 7093B (Bulk)	4	36

WE DELIVER ALL OVER EUROPE

MORE THAN 5000 ARTICLES ON STOCK

24H DELIVERY TO THE MEDITERRANEAN



# BELT-MOUNTED PAPR SYSTEMS FOR GRINDING AND SANDING

#### **GVP SERIES**



Full Facepiece 6700DIN (Small) 6800DIN (Medium) 6900DIN (Large)



Hood Assembly H-411



Bumpcap with Wide View Faceshield L-501



Helmet with Wide View Faceshield L-901

Part Number	Description	Respirators /Box	Boxes/Case
MM 3M 6700DIN	Small Facepiece	1	4
MM 3M 6800DIN	Medium Facepiece	1	4
MM 3M 6900DIN	Large Facepiece	1	4

Part Number	UPC Number	Description	Packs/Case
MM 3M H-411	051138-66096	Hood Assembly with 1 Collar and Cap Suspension Tychem® QC	1
MM 3M L-501	051131-37008	Bumpcap with Wide 1 View Faceshield	1
MM 3M L-901	051138-66155	Helmet with Wide 1 View Faceshield	1



Breathing Tube GVP-123



Breathing Tube GVP-122




Breathing Tube L-122

Part Number	UPC Number	Description	Packs/Case
MM 3M GVP-122	051138-29214	Breathing Tube (for GVP-1 with H-Series Hoods)	1
MM 3M GVP-123	051138-29215	Breathing Tube (for GVP-1 with 7800S Full Facepiece)	1
MM 3M L-122	051131-37012	Breathing Tube (for use with L-Series Headgear)	1



## 3M™ GVP-SERIES PAPR SYSTEMS

3M™ GVP-Series Replacement Parts Includes all the items needed for the GVP-Series powered air purifying respirator (PAPR) systems. The list includes all parts of the PAPR assembly, waist belts, shoulder



straps, shower cover and breathing tubes."

- Can be used with several different 3M facepieces, headgear and hoods
- Provides high levels of air flow
- Allows you to select several different cartridges for different contaminants
- Lightweight components are comfortable to wear
- Includes an eight hour battery
- Intrinsically safe

## 3M™ ADFLO™ PAPR SYSTEM WITH 3M™ SPEEDGLAS™ CLEARVISOR

- Provides constant airflow even as filter loads
- Uses a brushless motor that has three times the life of standard PAPR motors
- Eye\*, face and respiratory protection in a single unit
- Uses an environmentallyfriendly NiMH battery that fully charges in less than three hours

<sup>\*</sup> Safety glasses must be used under all secondary eye protection devices.

Part Number	Description	Packs/ Case
MM 3M 16-1101-40	3M™ Adflo PAPR System with 3M™ Speedglas™ ClearVisor	1

#### WELDING APPLICATIONS

Welding and other metal working jobs cancreate a variety of fumes and gases that presentunique respiratory protection challenges. Inaddition, these applications require hearing and specialized head and eye protection. 3M provides a comprehensive line of respirators and other products that can enhance safety in most welding/metal working jobs.

## 3M™PARTICULATE WELDING RESPIRATOR 8515, N95

- •3M<sup>TM</sup>Cool Flow<sup>TM</sup>Exhalation Valve for added comfortand easier exhalation in hot and humid work settings
- •Comfortable, reliable and economical protection
- •3M™Welding Web is flame resistant asdemonstrated per ASTM D 2859-96
- •Adjustable M-noseclip for greater comfort
- LightweightPart



Part Number	Respirators/Box	Boxes/ Case
MM 3M 8515	10	8



## 3M<sup>™</sup>PARTICULATE WELDING RESPIRATORS 8212, 8512, N95

- •3M cake-resistant filter media for longer filter life
- •Wide, adjustable straps
- •3M<sup>™</sup>Welding Web is flame resistant as demonstrated per ASTM D 2859-96
- •3M<sup>TM</sup>Cool Flow<sup>TM</sup> Exhalation Valve for added comfort and easierexhalation in hot and humid work settings

•8212 has special faceseal



3M<sup>™</sup>Particulate Welding Respirators 8212, N95



3M™Particulate Welding Respirators 8512, N95

Part Number	Respirators/Box	Boxes/ Case
MM 3M 8212	10	8
MM 3M 8512	10	8

## 3M<sup>™</sup>PARTICULATE WELDING RESPIRATORS 8214, 8514, N95

- •3M recommended for protection against ozone up to 10 times the OSHAPEL\*
- •Nuisance level organic vapor relief\*\*
- •Carbon filter media
- •Wide, adjustable straps
- •3M<sup>™</sup>Welding Web is flame resistant as demonstrated per ASTM D 2859-96
- •3M cake-resistant filter media for longer filter life
- •3M<sup>™</sup>Cool Flow<sup>™</sup> Exhalation Valve for addedcomfort and easier exhalation in hot and humidwork settings
- •8214 has special faceseal



3M<sup>™</sup>Particulate Welding Respirators 8214, N95



3M<sup>™</sup>Particulate Welding Respirators 8514, N95

Part Number	Respirators/Box	Boxes/ Case
MM 3M 8214	10	8
MM 3M 8514	10	8

## 3M™PROFESSIONAL SERIES HALF FACEPIECE RESPIRATOR 7501, 7502, 7503, P100



P100 Use this facepiece with the filters shown below.

- •3M<sup>™</sup>Cool Flow<sup>™</sup>Exhalation Valve for added comfort and easier exhalation in hot and humid work settings
- •Reduced heat and moisture build up
- •Thin-wall design around the nose for greater comfort\*



Particulate Filter 7093, P100



Particulate Filter 2091, P100\*,\*\*



Particulate Filter 2097, P100\*,\*\*

Part Number	Facepiece Description	Facepieces/ Bags	Bags/ Case
MM 3M 7501	Small	1	10
MM 3M 7502	Medium	1	10
MM 3M 7503	Large	1	10

Part Number	Filters/Box	Bags/ Case
MM 3M 2091	2	50
MM 3M 2097	2	50
MM 3M 7093	4	15
MM 3M 7093B (Bulk)	4	36

- \* 3M recommended for ozone protection up to 10 times the OSHA PEL. This product is not NIOSH approved for ozone protection.
- \*\*Nuisance level refers to concentrations below the current OSHA PELs.