

MM CLZ 117 - 1LT 1 litre container MM CLZ 117 - 5LT 5 litre container

DEODORANTE SCALING SUBSTANCE FOR PIPES AND WASHROOM

Gel composition containing hydroclhoric acid, intended for descaling sanitary appliances, tiles and certain metals such as chromium and stainless steel taps and fittings.



MM CLZ 206 - 750ML

Bottle of 750 ml.

1 Lt. refill

BIOLOGICAL GLASS CLEANER

Environmentally friendly cleaner in aqueous phase containing vegetal compounds resulting from essential oils, entirely biodegradable. Does not leave traces. Cleans and prevents bacterial growth. The 206 contains neither alcohol nor solvents. Recommended for cleaning windows, glass, stainless, enamel, TV screens, plastics, acrylic resin.



MM CLZ 1-1LT 1 litre container

MM CLZ 1-5LT 5 litre container

MM CLZ 1-30LT 30 litre tank

MM CLZ 1-200LT 200 litre drum

BILGE AND ENGINE CLEANER



Detergent and emulsifiable composition based on petroleum solvents and synthetic surfactants.

Ideal for degreasing and cleaning all types of surfaces polluted by mineral oils and greases and crude and refined oils: crude oil, fuel oil, lubricating oil, etc.

Safety of use much appreciated by amateur yachtsmen. Very high emulsifying power and efficiency.



MM CLZ 2 - 1LT

MM CLZ 2- 5LT

MM CLZ 2- 30LT

MM CLZ 2- 30LT

MM CLZ 2- 210LT

1 litre container

5 litre container

210 litre tank

210 litre drum

BIO BILGE CLEANER



Clz2 is a safe, vegetable based ecosolvent. It can be used advantageously to replace petroleum solvents.

Can be used in confined spaces. Has a high flash point and, because it is surfactant free, dries rapidly without leaving any traces. Immediately effective on all types of substrate. Biodegradable.



MM CLZ 3-1LT

1 litre container

MM CLZ 3-5LT

5 litre container

MM CLZ 3-30LT

30 litre tank

MM CLZ 3-200LT

200 litre drum

COLD WASH BILGE & ENGINE CLEANER





Detergent and emulsifiable composition based on petroleum solvents and synthetic surfactants.

Ideal for degreasing and cleaning all types of surfaces polluted by mineral oils and greases and crude and refined oils: crude oil, fuel oil, gas oil, lubricating oil, etc. Particularly suited to merchant shipping for holds, engines, tanks, ballasts, cisterns, hulls – before painting – and bridges, after degassing or unloading.

Very easy to use. Very high emulsifying power and efficiency.

MM CLZ 4-1LT

1 kg container

MM CLZ 4-5LT

5 kg container

RAW ALUMINIUM RESTORER



Composition based on hydrofluoric acid, specially formulated for cleaning, brightening and stripping untreated aluminium. Spectacular action and results – immediate destruction of vegetable, mineral or animal greases – on floors and decking of machine rooms and tanks, vessels or cisterns in untreated light alloy. Deoxidises and gives an "as new" appearance to the treated surfaces. Cuts labour time.

MM CLZ 6P-1LT
1 litre container

MM CLZ 6P-5LT

5 litre container

DEODORANT FOR BILGES



Water based bactericidal formulation containing surfactants and pine oil. Stops bacterial proliferation in hold water, while leaving a pleasant fresh fragrance. Complementary insecticidal and acaricidal action.



MM CLZ 5-1LT

1 litre container

MM CLZ 5-5LT

5 litre container

MM CLZ 5-30LT

30 litre tank

MM CLZ 5-200LT

200 litre drum

CONCENTRATED ALKALINE DEGREASER





05 Cleans drinking water tanks. Eliminates diesel that has accidentally got into water reservoirs. Provide for abundant rinsing.



MM CLZ 7A -400ML 400 ml aerosol PENETRATING OIL



Formulated from refined mineral oil, 07 A is a powerful cleaner and penetrating oil that allows seized or corroded parts to be dismantled easily: nuts, bolts, hinges, pulley axles, etc. 07 A also insulates engine ignition systems. Leaves a protective anti-corrosion film. Excellent lubricant for moving parts.

MM CLZ 11A-400ML 400 ml aerosol PLASTICIZING VARNISH



Clear acrylic varnish, gloss finish, UV and weathering resistant. Non-yellowing at ambient temperature.

Use for protecting plastic - or polystyrene - substrates and paper documents. Also acts as a good insulator for electrical terminals and printed circuits.

MM CLZ 25K-750ML

750 ml pot

MM CLZ 25K-5LT

5 litre container

ENGEINEERS HAND SOAP





Gel hand soap, specially formulated for workshops,

25 K does not contain

any abrasives or alkaline

natural fats and oils and

but

mechanical

solvents,

particularly

workshops.

materials

surfactants.

400 ml aerosol WATER REPELLANT

MM CLZ 13A-400ML



Water repellent protective fluid, reinforced with corrosion inhibitors.

Repels water and humidity. Excellent corrosion protection of mechanical parts and electrical equipment. Suitable for use in saline atmospheres. Ideal for over-wintering boat engines. Repels water and humidity, leaving a protective

film. Improves the dielectric

properties of the parts treated.

25 K efficiently eliminates traces of oils, greases, dirt and tar. Protects the skin, while preventing it drying. Contains antiseptic and bactericidal agents. All of the components of 25 K are completely soluble and dispersible in water.



DIELECTRIC SOLVENT



Water repellent cleaning solvent for electrical contacts. Evaporates without leaving any residues.

Does not leave traces on metal surfaces and does not alter the substrates.

Ideally suited for cleaning the rotors of electric motors.

Has a "de-moisturising" effect and is very efficient in marine environments.

MM CLZ 31- 250ML 250 g bottle MM CLZ 31- 1KG MM CLZ 31- 5KG

1 kg container 5 kg container

FAST ACTING RUST CONVERTER





Anticorrosion formulation that acts by chemically converting the oxidation into an organometallic film that assures anodic passivation of the ferrous surface.

31 neutralises the metal corrosion process and converts rust into a protective chemical barrier.

MM CLZ 41A-200ML 200 ml aerosol. MM CLZ 41A-400ML 400 ml aerosol.

GREASE FOR WINCHES



Green, water repellent grease based on lithium soap. Very good adhesion. Insoluble in both fresh and sea water. High resistance to saline atmospheres and high temperatures. Protects and lubricates all moving mechanical parts under pressure subjected to the different effects of water and heat. Recommended in boating for greasing winches, rigging screws,

MM CLZ 42A-400ML

400 ml aerosol

GELCOAT RENOVATOR



Formulation based on surfactants and solvents combined with a very fine abrasive. Ideal for obtaining a gloss finish on boat gelcoats or car bodywork. Ideal for giving surfaces an "as new" finish.

MM CLZ 44-60GR

Bag with 2×60 g sticks.

HAND SHAPED EPOXY FILLER





Two component, epoxy mastic - solvent free with good adhesion on most materials: metals, wood, polyester, tiles, marble, etc. Does not dilate or shrink. May be used in water. Excellent resistance to cold and heat, impact, vibration and corrosive environments. Provides a genuine cold solder that, after hardening, can be machined, tapped, milled, drilled or threaded. Useful for all sorts of repairs: hulls, tanks, pipes, mechanical parts, etc.



MM CLZ 80NF-1LT

1 lt container

MM CLZ 80NF-5 LT

5 lt container

CONCENTRATED HULL & DECK CLEANER





80 NF is more highly concentrated, and is preferable for removing black deposit from exhaust fumes on rear panels, and on the waterline, as well as resistant stains.

MM CLZ 90NF-750ML

750 ml spray

MM CLZ 90NFR

5 litre refill

PROFESSIONAL MULTI-PURPOSE CLEANER



Powerful, heavy duty detergent designed to clean and degrease engines, holds, floors, plastic surfaces, metals, enamels, etc. Complementary bactericidal action. Marine fragrance.

MM CLZ 102 -500 ML

500 ml. container

MM CLZ 102 -1LT

1 litre container

MM CLZ 102 -5LT

5 litre container

RUST STREAKS REMOVER





Composition based on phosphoric acid and surfactants, used to remove runs and traces of rust on plastic hulls, painted surfaces and metals. Eliminates yellowing of the gelcoat. Passivates bare metal and provides it with very efficient corrosion protection for several weeks.

MM CLZ 104 -500 ML

500 ml. container

MM CLZ 104R

1 Lt. refill

MULTI-PURPOSE DEODORISER





Water based formulation with a pleasant fragrance to absorb strong odours such as fuel, particularly gas oil. Very effective in boat holds and engine rooms. Immediate action on all substrates, including hands and fabrics.

MM CLZ 105E-1LT MM CLZ 105E-5LT MM CLZ 105E-30LT MM CLZ 105E-210LT 210 litre drum

1 litre container 5 litre container 30 litre tank

HULL CLEANER



Detergent specially designed for cleaning and degreasing the gelcoats of hulls and bridges, plastic, metallic or painted surfaces, sails, awnings, etc. Acts rapidly on the static film without attacking the substrate.

MM CLZ 107-150ML 150 ml bottle MM CLZ 107-500ML 500 ml bottle MM CLZ 107-1LT 1 litre container MM CLZ 107-5LT 5 litre container

BIOCIDE FOR FUEL





Biocide, extremely effective against the micro-organisms present in gas oil. Double preventive and curative action on the whole feed circuit. Very wide range of effectiveness on all bacteria and moulds. Action time around 48 hours when used for curative purposes. Provides protection for around 4 to 6 months. Fully compatible with all types of fuels.

MM CLZ 106-500ML 500 ml. container MM CLZ 106-1LT 1 litre container MM CLZ 106-5LT 5 litre container

FUEL ADDITIVE



Formulation based on a high boiling point petroleum solvent, containing surfactants and anti-oxidants. 106 eliminates any water contained in tanks by having it combusted, improves output by 9 to 14%, reduces smoke emissions and raises the cetane number.

MM CLZ 108-5LT

5 litre container

DETERGENT FOR WATER SEPARATOR



Detergent for forming self-breaking emulsions based petroleum on solvents and surfactants. Forms a stable emulsion that facilitates cleaning and rinsing. Decants oil from water, allowing the

most important waste to be collected manually and facilitates the action of the separator filters. Allows the water from holds and cargo compartments to be discharged into the sea after cleaning, in accordance with regulations (hydrocarbon content in discharged water less than 15 ppm) and for the oil to be recovered if necessary. Concentrated, very economical and quick acting product.



MM CLZ 109-1LT 1 litre container MM CLZ 109-5LT 5 litre container

SEPTIC TANKS AND GREASE TAPS BIOLOGICAL TREATMENT





Water based liquid formulation, non flammable and non toxic, for eliminating scale deposits on the internal walls of industrial condensers and water circulation devices. 118 is capable of dissolving the thickest layers of scale, even with a high silica content, restoring the original finish to the metal.

MM CLZ 112-1LT 1 litre container MM CLZ 112-5LT 5 litre container

OIL & DIESEL SPILL DISPERSANT





Hydrocarbon dispersant based on very low toxicity solvents and surfactants. Very efficient for eliminating traces of petroleum products – white spirit, petrol, gas oil, crude oil, heavy fuel oil, oils, etc. – accidentally spilled in the sea or in a port. Approved by the French Ministry of the Environment, the CEDRE and the British Department of Industry.

MM CLZ 113P-1LT 1 litre container MM CLZ 113P-5LT 5 litre container

BACTERICIDE DISINFECTANT FOR SANITARY TANK





Fragranced water based formulation – containing a powerful bactericide – intended for cleaning, disinfecting and deodorising foul, grey or black water tanks of low or medium capacity (up to 1000 L) that are frequently emptied.

113 P also has a very efficient germicidal action that halts bacterial proliferations in the fermentation or putrefaction processes of pipes and tanks.

MM CLZ 117-1LT 1 litre container MM CLZ 117-5LT 5 litre container

SANITARY CLEANER





Gel composition containing hydrochloric acid, intended for descaling sanitary appliances, tiles and certain metals such as chromium and stainless steel taps and fittings.

MM CLZ 118-1LT 1 litre container MM CLZ 118-5LT 5 litre container

SCALING SUBSTANCE FOR ELECTRIC BOILERS





Water based liquid formulation, non flammable and non toxic, for eliminating scale deposits on the internal walls of industrial condensers and water circulation devices. 118 is capable of dissolving the thickest layers of scale, even with a high silica content, restoring the original finish to the metal.

MM CLZ 119-1LT

1 litre container

ANTI CALCIUM DEPOSITS FOR COOLING SYSTEMS



Water based formulation containing corrosion inhibitors and sequestering agents. Protects cooling circuits against rust and scale, while maintaining any particles suspended in the cooling water. Ready to use. Non toxic.

MM CLZ 120-1LT 1 litre container MM CLZ 120-5LT 5 litre container

ACID DESCALER AND RUST REMOVER





Composition based on hydrochloric acid and surfactants, with multiple uses in pleasure boating: stripping of rust, cleaning of hulls, propellers and shaft lines, descaling of sea water exchangers, pipes and toilet collectors, etc.

MM CLZ 121-5KG

5 kg bucket / 25 tablets

CHLORINE TABLETS



Slow dissolving 200 g organo-chlorine tablets with 85% active chlorine, for disinfecting twin stage Microphor-MSD type black water tanks.



MM CLZ 122-24T

5 Pot of 24 tablets

MM CLZ 122-120T

Bucket of 120 tablets

BLACK WATER TANK BIO-TREATMENT





Powerful biological activator in the form of effervescent tablets, based on cultures of non pathogenic micro-organisms and nutritional elements that act by degradation on the organic sediments in general and on oils and fats. Use reserved for black water tanks and foul pipe pipes. Bacterial count: 20 million bacteria per gramme. Eliminates odours. Accelerates the biodegradation of waste and environmentally friendly.

MM CLZ 126-5KG

5 kg bucket

SULFAMIC ACID



Water soluble formulation in powder form with 95% sulphamic acid, whose properties are perfectly adapted in the marine and yachting areas to chemical descaling, while in port, of water circulation equipment such as condensers, heat exchangers, evaporators, cooling and heating circuits, etc. 123 is very easy to store and handle. Does not release any toxic or explosive gases or vapours. Contains a coloured descaling indicator and a corrosion inhibitor, which limits ferrous metals being attached by corrosion. Economical, since the recommended doses are between 2 and 10% maximum. 2 kg of 126 are capable of dissolving 1 kg of scale.

MM CLZ 136 - 1LT 1 litre container MM CLZ 136 - 5LT 5 litre container

GREY WATER TANKS TREATMENT





Entirely natural liquid biological formulation specially designed for emulsifying, liquefying and degrading animal and vegetable oils and fats.

Contains non pathogenic bacteria at a concentration of 20 billion per litre. Used in grease tanks and grey water tanks.

Considerably reduces emptying frequency. Eliminates odours in pipes and tanks. Neutral product, free of alkaline and acid substances and chlorine derivatives. Harmless to humans and animals. Generates a bacterial flora that is favourable to subsequent treatment in water treatment plants.

MM CLZ 200 - 1LT 1 litre container MM CLZ 200 - 5LT 5 litre container

POWDER TEAK CLEANER





Powder formulation based on a high concentration of trisodium phosphate dodecahydrate.

200 is ideal for in-depth cleaning of oily wood, particularly teak. Very easy to use – the amount used just needs to be adjusted to the requirements – both for routine maintenance and for complete "as new" restoration works. Product widely recognised and used for many years in marine and boating circles.

MM CLZ 201-1LT 1 litre container
MM CLZ 201-5LT 5 litre container

LIQUID RENOVATOR FOR TEAK





Preparation based on phosphoric acid designed to revive the colour of teak and restore its original radiance.

MM CLZ 202-1LT 1 litre container MM CLZ 202-5LT 5 litre container

OXALIC ACID



Known for many years as "sel d'oseille" ("sorrel salt" or potassium oxalate), powdered oxalic acid is used in marine and boating circles for cleaning and bleaching teak decks.

MM CLZ 203LS-1KG

1KG CONTAINER

POWERFUL LIQUID PAINT STRIPPER



203 LS is a highly active paint and varnish stripper.

MM CLZ 204-250GR 25 MM CLZ 204-1KG 1

250 g pot1 kg pot

GELCOAT RESTORER





Thick polishing paste designed for renovating polyester, gelcoat or epoxy type plastic surfaces.

Contains aromatic-free solvents, soap and fine silica abrasive particles.

Gives an "as new" finish and restores the original colour. May also be used for renovating certain metals: stainless steel.



MM CLZ 205SI-1LT 1 litre container MM CLZ 205SI-5LT 5 litre container MM CLZ 205SI-30LT 30 litre tank MM CLZ 205SI-210LT 210 litre drum

CONCENTRATED HULL AND DECK CLEANER





Detergent specially designed for cleaning, degreasing and renovating the gelcoats of hulls and bridges, plastic, metallic or painted surfaces, sails, awnings, etc. Acts rapidly on the static film without attacking the substrate.

MM CLZ 206-750ML

0,75 litre hand sprayer

MM CLZ 206-1LT

1 litre refill

BIO GLASS CLEANER



Environmentally friendly cleaner in aqueous phase containing vegetal compounds resulting from essential oils, entirely biodegradable. Does not leave traces. Cleans and prevents bacterial growth. The 206 contains neither alcohol nor solvents. Recommended for cleaning windows, glass, stainless, enamel, TV screens, plastics, acrylic resin.

MM CLZ 208-1LT MM CLZ 208-5LT

1 litre container5 litre container

BOAT FENDER CLEANER





Very powerful solvent based formulation for cleaning and renovating the fenders of pleasure boats.

MM CLZ 210-500GR

500 g pot

CALCIUM REMOVER



Formulation based on a very fine particle size powder containing cerium oxide. Used to remove calcium stains (salt deposits) on boat windows in the form of droplets that detergents cannot remove.

MM CLZ 211A-200ML

200 ml aerosol.

MM CLZ 211A-400ML

400 ml aerosol.

TEFLON LUBRICANT



Extremely fine, dry lubricant formulation (polytetrafluoroethylene and volatile solvents/ PTFE particles of 5 microns) for all materials: wood, leather, metals, plastics, rubber, etc. Use on runners, drawers, pulley axles, traveller carriages, deck hatches, rigging screws, cloth and bag slides, mainsail slides, etc. Leaves substrates dry, clean and non-oily. Exceptional temperature resistance: from -120° to +260°.

MM CLZ 212-250ML 250 ml bottle MM CLZ 212-1LT 1 litre container MM CLZ 212-5LT 5 litre container

TEAK OIL





Synthetic oil specially formulated for protecting teak, which it makes water proof and slightly light brown coloured. Guaranteed efficiency for several months in temperature climates.



MM CLZ 214-1LT MM CLZ 214-5LT

1 litre container

5 litre container

SAIL AND AWNING CLEANER





Highly concentrated alkaline formulation designed for cleaning heavy particularly sails, awnings and tarpaulins. Guaranteed efficiency whether with cold or hot water. Low foaming and makes it possible to avoid using acid products.

MM CLZ 216-1LT 1 litre container

MM CLZ 216-5LT 5 litre container

NON-SKID DECK CLEANER





Detergent formulated from 2 very powerful surfactants intended for in-depth cleaning of non-slip painted or plastic surfaces, which it cleanses very easily.



MM CLZ 217-500ML

500 ml container

GELCOAT POLISH



Gel formulation contain fine calibrated abrasive particles, intended for restoring all oxidised or scratched substrates.

Efficient on gelcoats, polyester, epoxy, plastics, composites and painted surfaces. Restores the original colour and leaves a protective film.

MM CLZ 218-500ML

500 ml container

POLISH WITH PTFE



Gel formulation containing fluorinated polymers intended for renovation works or protecting plastic or painted surfaces. PTFE based polishes have the advantage of ensuring a really exceptional finish and making substrates look "as new".

MM CLZ 219-1LT 1 litre container MM CLZ 219-5LT 5 litre container

INFLATABLE DINGHY CLEANER





Composition based on petroleum solvents intended for cleaning inflatable dinghies in complete safety.

MM CLZ 220-250GR 250g container

CHROME & STAINLESS STEEL POLISH



220 chrome and stainless steel polish, takes away surface scratches like a liquid rubber. Protects and puts a shine on copper, chrome and stainless steel.

MM CLZ 222-1LT MM CLZ 222-5LT

1 litre container5 litre container

LIQUID TEAK CLEANER





Very powerful alkaline detergent designed for cleaning teak and other exotic woods. Ideal for completely eliminating particles of grease and carbon incrusted in the wood fibres. MM CLZ 240-1LT MM CLZ 240-5LT

1 litre container

5 litre container

ANODISED ALUMINIUM RESTORER



Especially formulated to clean anodised aluminium surfaces, 240 is a light acid product. Particularly appropriate for the restoration of the doorframes, joineries and frontages, as well as all parts of aluminium chandlery. 240 containing no mineral acids, neither solvents, nor fluoride, is totally safe for window glasses and rubber seals.

MM CLZ 302-1LT MM CLZ 302-5LT

1 litre container

5 litre container

LEATHER & VINYL CLEANER





Specially formulated detergent for cleaning leather, vinyl, Skai® and, more generally, plastic surfaces.

Neutral, non-aggressive, low-foaming product that does not alter the colour and leaves surfaces clean and shiny. Does not require any mechanical action.





MM CLZ 304-250ML 250 ml. container MM CLZ 304-1LT 1 litre container

WATER REPELLENT FOR WINDOWS

Special multi-purpose fluid based on organo-mineral copolymers, intended for the preventive treatment of surfaces. Applications: non-wetting, hydrophobic, anti-adherent, anti-scale, anti-soiling, anti-dust, anti-condensation, etc. Works well on most substrates: glass, polycarbonate, enamel, stainless steel, earthenware, anodised aluminium, chromium, acrylic (PPMA) and most plastics (given the very wide diversity of plastics available, carry out a compatibility test on a small area).

Perfect for treating windows and portholes or even the superstructure, preventing the adhesion of salt or ice on the treated surfaces. Significantly reduces the need for general maintenance. Long-lasting action and excellent resistance to acids, solvents and detergents.





MM CLZ 305-1LT 1 litre container

CARPET SHAMPOO



Formulation based on a new generation of super-active cleansing agents.

305 is both easy to use and very economical (high coverage per m²). Cleans without foaming, revives colours, restores softness to the fibres and gives an "as new" look to faded carpets.

MM CLZ 306A-400ML

400 ml aerosol

LEATHER & PLASTIC RENOVATOR



Mixture of oils and resins in solution in volatile solvents. Recommended for renovating leather, Skai®, plastic coverings, dashboards, enamelled surfaces, etc.

Antistatic and water repellent. Pleasant orange fragrance. Shines, easily removes dust and leaves a protective anti-corrosion film.

MM CLZ 312-200ML

200 ml bottle

LEATHER NUTRIENT CREAM



Stabilised and neutral maintenance milk for protecting and nourishing all types of leather, even the most delicate. Gives leather back its initial flexibility and prevents it drying out. Leaves a gloss satin finish.

MM CLZ 405-1LT

1 litre container

BIO TREATMENT CHEMICAL TOILETS



Powerful liquid biological activator, based on cultures of non pathogenic micro-organisms and nutritional elements that act by degrading organic sediments in general and oils and fats in particular. Use restricted to chemical toilets and black water tanks. Eliminates odours. Accelerates the biodegradation of waste and allows chemical toilet tanks to be disposed of in drains.

MM CLZ 520-200ML

200 ml aerosol

TALLOW GREASE



Lubricating and greasing agent based on animal fats. High resistance to humid atmospheres, particularly marine atmospheres. Very wide range of uses on moving and non moving parts: pulley axles, shackles, rigging screws, etc. Exceptional water repelling properties.

MM CLZ 550-200ML

200 ml aerosol

SILICONE LUBRICANT



Water-repellent, dielectric and antistatic renovating lubricant. Helps parts slide more easily and does not dry out. Shear and humidity resistant. Non corrosive and without effect on metals and plastics. Very widely used in yachting, particularly due to its excellent resistance to salt air, for lubricating hinges, slides, tools, locks, etc.



MM CLZ DICAL-1LT 1 litre container MM CLZ DICAL-5LT 5 litre container

DEOXYDIZER-DESCALER





Composition based on phosphoric acid and surfactants, used to remove runs and traces of rust on plastic hulls, painted surfaces and metals. Eliminates yellowing of gelcoats. Passivates bare metal and provides it with very efficient corrosion protection for several weeks.

MM CLZ OXYPHOS-1LT

1 litre container

MM CLZ OXYPHOS-5LT

5 litre container

PHOSPHORIC ACID





Composition based on phosphoric acid and a wetting agent, used to remove runs and traces of rust on plastic hulls, painted surfaces and metals. Passivates bare metal and provides it with very efficient corrosion protection for several weeks.

MM CLZ NECLIM-1LT 1 litre container MM CLZ NECLIM-5LT 5 litre container

MULTI-PURPOSE CLEANER





Polyvalent, multi-purpose aqueous degreasing detergent, which can be used for cleaning recipients that come into contact with foodstuffs (in accordance with the provisions of the French Ministry of Agriculture). High cleaning and descaling power. Penetrates into porosities and micro-fissures. Also destroys unpleasant odours.

Recommended for degreasing and cleaning the surfaces of:

- Tiled walls and floors,
- Boat hulls,
- Plastic and synthetic coatings,
- Textiles.

MM CLZ XERAPOL-50GR

Available capacities: 50 g

XERAPOL-PLEXIGLASS POLISH



XERAPOL makes those fine scratches of Plexiglas disappear (portholes, compass etc.) Genuinely effective.