

MM MAG LED 2D-CELL
MM MAG LED 3D-CELL
MM MAG LED 4D-CELL

2, 3 & 4 D-CELL MAG-LED FLASHLIGHTS

The Maglite® flashlight, renowned for its quality, durability, and reliability, is now available with the new MAG-LED™ Technology. Designed for professional and consumer use, Maglite® LED flashlights build on the experience in craftsmanship, engineering, and advanced technology evident in all Mag® flashlights. The Maglite® flashlight is internationally accepted as the Professional Flashlight®. Built tough enough to last a lifetime, its durability and patented features now combined with the new MAG-LED™ Technology make the Maglite® LED flashlight a technologically advanced lighting instrument. Available in 2, 3, & 4 Cell D size, the benefits include:

- A Powerful Projecting Beam that focuses simply by rotating the head.
- Balanced Optics™, combining a highly refined reflector with a quality LED, for a brilliant adjustable beam.
- Intelligent Energy Source Management (patent pending) balancing high brightness with extended battery life.
- Interchangeable Light Sourcing - Use either the installed LED module or the Krypton lamp (stored in the tailcap).



	2D	3D	4D
Overall Length:	10 in. 254 mm	12-11/32 in. 313 mm	14-23/32 in. 374 mm
Barrel Diameter:	1-9/16 in. 39.67 mm	1-9/16 in. 39.67 mm	1-9/16 in. 39.67 mm
Head Diameter:	2-1/4 in. 57.00 mm	2-1/4 in. 57.00 mm	2-1/4 in. 57.00 mm
Weight without battery:	14 oz. 402 g	15 oz. 445 g	17 oz. 496 g
Weight with battery:	23 oz. 674 g	30 oz. 856 g	36 oz. 1043 g
LED:	3 Watt* 10,000 hour rated life	3 Watt* 10,000 hour rated life	3 Watt* 10,000 hour rated life
Energy Management:	✓	✓	✓
Balanced Optics:	✓	✓	✓
Projecting Beam:	✓	✓	✓
Focusing Beam:	✓	✓	✓
Batteries Required:	(2) D size alkaline	(3) D size alkaline	(4) D size alkaline

*As rated by supplier of LED.



MM MAG LED 2AA-CELL MM MAG LED 3AA-CELL

2 & 3 AA-CELL MAG-LED FLASHLIGHTS



The new Mini Maglite® LED is crafted after the legendary Mini Maglite® flashlight, an icon of classic American design, famous around the world. Built tough enough to last a lifetime, its durability and patented features are now available with the new MAG-LED™ Technology. Whether you choose the super bright 2-Cell AA for its smaller size or the longer 3-Cell AA with its even higher performance, these technologically advanced lighting instruments are the ideal personal flashlights.

The benefits include:

- A Powerful Projecting Beam that focuses simply by rotating the head.
- Balanced Optics™, combining a highly refined reflector with a quality LED, for a brilliant adjustable beam.
- Intelligent Energy Source Management (patent pending) balancing high brightness with extended battery life.
- Candle Mode Unscrew flashlight head, place head down on stable flat surface and set flashlight barrel into head.



Black - 2 & 3 AA-Cell



Red - 2 & 3 AA-Cell



Silver - 2 & 3 AA-Cell



Blue - 2 & 3 AA-Cell



Gray - 2 & 3 AA-Cell

	2AA	3AA
Overall Length:	6.607 in. 168.8 mm	8.596 in. 218.3 mm
Barrel Diameter:	.709 in. 18 mm	.709 in. 18 mm
Head Diameter:	1 in. 25.4 mm	1 in. 25.4 mm
Weight without battery:	2.4 oz. 68.04 g	2.88 oz. 81.64 g
Weight with battery:	4.15 oz. 117.75 g	5.44 oz. 154.22 g
LED:	3 Watt* 10,000 hour rated life	3 Watt* 10,000 hour rated life
Energy Management:	✓	✓
Balanced Optics:	✓	✓
Projecting Beam:	✓	✓
Focusing Beam:	✓	✓
Batteries Required:	(2) AA size alkaline	(3) AA size alkaline

*As rated by supplier of LED.

MM MAG 2D-CELL
 MM MAG 3D-CELL
 MM MAG 4D-CELL
 MM MAG 5D-CELL
 MM MAG 6D-CELL


3,0 volts
 4,5 volts
 6,0 volts
 7,5 volts
 9,0 volts

D-CELL FLASHLIGHTS

Every Mag-Lite® flashlight embodies a precise balance of refined optics, efficient power, durability and quality. Each Mag-Lite® D-Cell flashlight includes two high intensity White Star® Krypton Gas Lamps for enhanced brilliance and extended range.



Black - 2, 3, 4, 5, & 6 D-Cell



Red - 2, 3, 4, 5, & 6 D-Cell




Silver - 2 & 3 D-Cell



Blue - 2, 3, & 4 D-Cell



Gray - 2 & 3 D-Cell



Purple - 2 & 3 D-Cell



Camo - 3 D-Cell Only

- High-intensity light beam
- 1/2 turn, cam action focus, spot-to-flood
- Self-cleaning rotary switch, 3 position, On, Off, and Signal (Manual, Momentary On-Off)
- Spare lamp safely secured in the tailcap
- High-strength aluminum alloy cases
- O-ring sealed for water resistance
- Limited Lifetime Warranty in the Western Hemisphere and Japan; Ten-Year Limited Warranty Elsewhere.
- Individually serial numbered
- All Mag® flashlights are designed, patented and manufactured in the U.S.A. May contain some imported components.

	2D	3D	4D	5D	6D
Overall Length:	10 in. 254 mm	12-11/32 in. 313 mm	14-23/32 in. 374 mm	17-1/8 in. 434 mm	19-1/2 in. 495 mm
Barrel Diameter:	1-9/16 in. 39.67 mm	1-9/16 in. 39.67 mm	1-9/16 in. 39.67 mm	1-9/16 in. 39.67 mm	1-9/16 in. 39.67 mm
Head Diameter:	2-1/4 in. 57.00 mm	2-1/4 in. 57.00 mm	2-1/4 in. 57.00 mm	2-1/4 in. 57.00 mm	2-1/4 in. 57.00 mm
Weight without battery:	14 oz. 402 g	15 oz. 445 g	17 oz. 496 g	19 oz. 547 g	21 oz. 598 g
Weight with battery:	23 oz. 674 g	30 oz. 856 g	36 oz. 1043 g	43 oz. 1233 g	50 oz. 1417 g
Battery Life continuous on time:*	9-10 hours	9-10 hours	9-10 hours	9-10 hours	9-10 hours
Battery voltage output:	3.0 volts	4.5 volts	6.0 volts	7.5 volts	9.0 volts
Batteries Required:	(2) D size alkaline	(3) D size alkaline	(4) D size alkaline	(5) D size alkaline	(6) D size alkaline

*Battery on time is approximate and may vary between lamps and batteries.



MM MAG 2C-CELL	3,0 volts
MM MAG 3C-CELL	4,5 volts
MM MAG 4C-CELL	6,0 volts

C-CELL FLASHLIGHTS

The Mag-Lite® C-Cell flashlight embodies the same precise balance of refined optics, efficient power, durability and quality as the D-Cell Flashlights in a smaller, lighter weight design. Each Mag-Lite® C-Cell flashlight includes two high intensity White Star® Krypton Gas Lamps for enhanced brilliance and extended range.



- High-intensity light beam
- 1/2 turn, cam action focus, spot-to-flood
- Self-cleaning rotary switch, 3 position, On, Off, and Signal (Manual, Momentary On-Off)
- Smaller & lighter than the D cell
- Spare lamp safely secured in the tailcap (see page 3)
- High-strength aluminum alloy cases
- O-ring sealed for water resistance
- Limited Lifetime Warranty in the Western Hemisphere and Japan; Ten-Year Limited Warranty Elsewhere.
- Individually serial numbered
- All Mag® flashlights are designed, patented and manufactured in the U.S.A. May contain some imported components.

	2C	3C	4C
Overall Length:	8-15/16 in. 227 mm	10-7/8 in. 276 mm	12-13/16 in. 325 mm
Barrel Diameter:	1-1/4 in. 31.75 mm	1-1/4 in. 31.75 mm	1-1/4 in. 31.75 mm
Head Diameter:	2-1/4 in. 57.00 mm	2-1/4 in. 57.00 mm	2-1/4 in. 57.00 mm
Weight without battery:	11 oz. 311 g	12 oz. 340 g	13 oz. 368 g
Weight with battery:	15 oz. 445 g	19 oz. 541 g	22 oz. 637 g
Battery Life continuous on time:*	5 hours	5 hours	5 hours
Battery voltage output:	3.0 volts	4.5 volts	6.0 volts
Batteries Required:	(2) C size alkaline	(3) C size alkaline	(4) C size alkaline

*Battery on time is approximate and may vary between lamps and batteries.



Black - 2, 3, & 4 C-Cell

MM MAG MINI AA

2-CELL AA MINI FLASHLIGHT

Until its inception, no flashlight of this size incorporated the features, functions, and unique design elements of our Mini Maglite® AA flashlight. Made in the U.S.A. and famous around the world for its brightness, quality, durability, and dependability.

Presentation Box
Includes:
(2) Premium AA
Alkaline Batteries



- High-intensity light beam
- 1/2 turn, twist focus, spot-to-flood
- Patented Candle Mode
- Spare lamp safely secured in the tailcap
- High-strength aluminum alloy case
- O-ring sealed for water resistance
- Vented tailcap (patented) reduces chance of gas buildup
- Compact/lightweight construction
- Limited Lifetime Warranty in the Western Hemisphere and Japan; Ten-Year Limited Warranty Elsewhere.
- All Mag® flashlights are designed, patented and manufactured in the U.S.A. May contain some imported components.

Overall Length:	5-3/4 in. 146.00 mm
Barrel Diameter:	23/32 in. 18.23 mm
Head Diameter:	1 in. 25.40 mm
Weight without battery:	2.1 oz. 60 g
Weight with battery:	3.8 oz. 107 g
Battery Life continuous on time:*	Approx. 5 hours
Battery voltage output:	3.0 volts
Batteries Required:	Two (2) AA size alkaline

*Battery on time is approximate and may vary between lamps and batteries.





MM MAG MINI AAA

2-CELL AAA MINI FLASHLIGHT

The Mini Maglite® 2-Cell AAA flashlight has all the same features and functions as the Mini Maglite® AA flashlight in a smaller, lighter version for ease of use and storage.



- High-intensity light beam
- 1/2 turn, twist focus, spot-to-flood
- Patented Candle Mode
- Spare lamp safely secured in the tailcap
- High-strength aluminum alloy case
- O-ring sealed for water resistance
- Vented tailcap (patented) reduces chance of gas buildup
- Compact/lightweight construction
- Limited Lifetime Warranty in the Western Hemisphere and Japan; Ten-Year Limited Warranty Elsewhere.
- Flashlight designed, patented and manufactured in the U.S.A. May contain some imported components.



Black Red Silver Blue Gray Purple

Overall Length:	5 in. 127.00 mm
Barrel Diameter:	1/2 in. 12.70 mm
Head Diameter:	3/4 in. 19.00 mm
Weight without battery:	0.9 oz. 26 g
Weight with battery:	1.7 oz. 49 g
Battery Life continuous on time:*	2.2 hours
Battery voltage output:	3.0 volts
Batteries Required:	Two (2) AAA size alkaline

*Battery on time is approximate and may vary between lamps and batteries.

MM MAG SOLITAIRE

SINGLE CELL AAA SOLITAIRE® FLASHLIGHT

Presentation Box
Includes:

- Key Lead (black)
- (1) Premium AA Alkaline Battery



Weighing less than one ounce (with battery) and about three inches in length, the Mag-Lite® Solitaire® Single Cell AAA flashlight offers the same precision engineering and craftsmanship found in every Mag-Lite® flashlight. With its unique shape, the Mag-Lite® Solitaire® flashlight fits conveniently into pockets, purses, attache cases, etc.



- High-intensity light beam
- Twist focus, spot-to-flood
- Innovative extended key lead allows the light beam and keys to be used together in the same direction
- Spare lamp safely secured in the tailcap
- High-strength aluminum alloy case
- O-ring sealed for water resistance
- Vented tailcap (patented) reduces chance of gas buildup

- Compact/lightweight construction
- Limited Lifetime Warranty in the Western Hemisphere and Japan; Ten-Year Limited Warranty Elsewhere.
- Flashlight designed, patented and manufactured in the U.S.A. May contain some imported components.



Black Red Silver Blue Gray Purple

Overall Length:	3-3/16 in. 81.00 mm
Barrel Diameter:	1/2 in. 12.70 mm
Head Diameter:	1/2 in. 12.70 mm
Weight without battery:	0.4 oz. 13 g
Weight with battery:	0.8 oz. 24 g
Battery Life continuous on time:*	3.5 hours
Battery voltage output:	1.5 volts
Batteries Required:	One (1) AAA size alkaline

*Battery on time is approximate and may vary between lamps and batteries.